

summary for network NET5

timeperiod chosen: from 2024-07-28-00:00:00 until 2024-07-28-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.3 seconds


average fixing percentage with threshold set to 0.3: 91.6 percent

stations available: 15 of 15


station information:

station AGRD:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1010.813
station ALMZ:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 1019.452
station ARDU:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 844.466
station CALA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GRX1200GGPRO	height: 942.154
station CALH:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 411.39
station CAS0:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 564.198
station CATY:	antenna: GPPNULLANTENNA NONE	receiver: TPS NET-G3	height: 597.734
station CERV:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 723.317
station CRNA:	antenna: GPPNULLANTENNA NONE	receiver: TPS NET-G3A	height: 649.433
station LERM:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 926.169
station QINT:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 1191.829
station QNTO:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 216.666
station SORI:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1135.68
station SROM:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1150.486
station VTRO:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1626.177


Processing rate in network NET5




Histogram of the processing rate in network NET5 (durations larger 15 seconds neglected)




Network NET5 with threshold set to 0.3




Fixing percentage of satellites in network NET5 with threshold set to 0.3




Network NET5 - only GPS with threshold set to 0.3




Network NET5 - only GLONASS with threshold set to 0.3




Network NET5 - only BDS with threshold set to 0.3




Network NET5 - only Galileo with threshold set to 0.3




Station AGRD in network NET5




Station ALMZ in network NET5




Station ARDU in network NET5




Station CALA in network NET5




Station CALH in network NET5




Station CAS0 in network NET5




Station CATY in network NET5




Station CERV in network NET5




Station CRNA in network NET5




Station LERM in network NET5




Station QINT in network NET5




Station QNT0 in network NET5




Station SORI in network NET5




Station SROM in network NET5




Station VTRO in network NET5




RefCheck for station AGRD in network NET5




RefCheck for station ALMZ in network NET5




RefCheck for station ARDU in network NET5




RefCheck for station CALA in network NET5




RefCheck for station CALH in network NET5




RefCheck for station CAS0 in network NET5




RefCheck for station CATY in network NET5




RefCheck for station CERV in network NET5




RefCheck for station CRNA in network NET5




RefCheck for station LERM in network NET5




RefCheck for station QINT in network NET5




RefCheck for station QNTO in network NET5




RefCheck for station SORI in network NET5



RefCheck for station SR0M in network NET5



RefCheck for station VTRO in network NET5



RefCheck values for network NET5

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
AGRD	-0.012	0.008	0.004	-0.009	0.007	0.003	-0.008	0.029	0.009	0.002	0.006	1328	2.0	6868	10.1
ALMZ	-0.002	0.017	0.003	-0.004	0.005	0.001	-0.018	0.016	0.006	0.002	0.004	6759	9.9	6	0.0
ARDU	-0.026	0.009	0.003	-0.013	0.005	0.002	-0.051	0.022	0.014	0.002	0.007	1193	1.8	3548	5.2
CALA	-0.003	0.007	0.001	-0.005	0.007	0.001	-0.056	0.013	0.008	0.001	0.006	0	0.0	1453	2.1
CALH	-0.001	0.016	0.002	-0.001	0.011	0.002	-0.036	0.02	0.007	0.002	0.005	7940	11.7	21219	31.2
CASO	-0.015	0.006	0.003	-0.02	0.002	0.002	-0.059	0.02	0.009	0.002	0.008	2027	3.0	5031	7.4
CATY	-0.003	0.009	0.002	-0.01	0.006	0.003	-0.049	0.021	0.011	0.002	0.01	14	0.0	10849	16.0
CERV	-0.012	0.006	0.002	-0.018	0.001	0.002	-0.034	0.045	0.007	0.002	0.005	37028	54.5	5060	7.4
CRNA	-0.011	0.018	0.004	-0.018	0.009	0.005	-0.004	0.101	0.026	0.005	0.025	12499	18.4	23190	34.1
LERM	-0.008	0.026	0.004	-0.01	0.008	0.003	-0.009	0.109	0.013	0.003	0.012	1067	1.6	5493	8.1
QINT	-0.015	0.009	0.002	-0.008	0.005	0.001	-0.046	0.012	0.009	0.002	0.006	589	0.9	2423	3.6
QNTO	-0.015	0.009	0.003	-0.016	0.006	0.003	-0.033	0.041	0.011	0.002	0.007	2042	3.0	9270	13.6
SORI	-0.011	0.004	0.002	-0.003	0.009	0.002	-0.002	0.037	0.007	0.002	0.007	51	0.1	5412	8.0
SROM	-0.004	0.012	0.003	-0.0	0.018	0.003	-0.027	0.024	0.007	0.002	0.004	3826	5.6	10037	14.8
VTRO	-0.019	0.008	0.003	-0.009	0.012	0.003	-0.042	0.027	0.009	0.003	0.007	5456	8.0	7973	11.7
Mean	-0.01	0.011	0.003	-0.01	0.007	0.002	-0.032	0.036	0.01	0.002	0.008	5454.6	8.0	7855.5	11.6
Min/Max	-0.026	0.026	0.004	-0.02	0.018	0.005	-0.059	0.109	0.026	0.005	0.025	37028	54.5	23190	34.1

fixing statistic for network NET5

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	91.6	93.4	93.4	93.5	87.1
considering satellites with dual-frequency fixed	88.1	88.7	90.0	89.1	84.5
considering all signals separately	88.0	88.6	90.0	89.3	83.8