

summary for network NT10

timeperiod chosen: from 2024-08-09-00:00:00 until 2024-08-09-23:59:55

average update rate (durations larger than 15 seconds considered as observation gap): 1.4 seconds


average fixing percentage with threshold set to 0.3: 92.3 percent

stations available: 15 of 15


station information:

station ALC1:	antenna: TRM57971.00 TZGD	receiver: TRIMBLE NETR9	height: 397.675
station BCL1:	antenna: LEIAR20 LEIM	receiver: LEICA GR25	height: 56.129
station BCLN:	antenna: LEIAR25.R4 LEIT	receiver: LEICA GR10	height: 84.875
station BELL:	antenna: LEIAR25.R4 NONE	receiver: LEICA GR50	height: 853.488
station BERG:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 892.808
station CREU:	antenna: LEIAR25.R4 NONE	receiver: LEICA GR50	height: 133.464
station EBRE:	antenna: LEIAR25.R4 NONE	receiver: LEICA GR50	height: 107.868
station ESCO:	antenna: LEIAR25.R4 NONE	receiver: LEICA GR50	height: 2508.504
station GIRO:	antenna: LEIAR25.R4 LEIT	receiver: LEICA GR10	height: 112.767
station GRAU:	antenna: GPPNULLANTENNA NONE	receiver: TPS NET-G3	height: 509.777
station MEQU:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 138.594
station PUIG:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 1162.395
station TARR:	antenna: LEIAR20 LEIM	receiver: LEICA GR25	height: 491.514
station TRRG:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 55.163
station VRO2:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 541.427


Processing rate in network NT10




Histogram of the processing rate in network NT10 (durations larger 15 seconds neglected)




Network NT10 with threshold set to 0.3




Fixing percentage of satellites in network NT10 with threshold set to 0.3




Network NT10 - only GPS with threshold set to 0.3




Network NT10 - only GLONASS with threshold set to 0.3



Network NT10 - only BDS with threshold set to 0.3




Network NT10 - only Galileo with threshold set to 0.3




Station ALC1 in network NT10




Station BCL1 in network NT10




Station BCLN in network NT10




Station BELL in network NT10




Station BERG in network NT10




Station CREU in network NT10




Station EBRE in network NT10




Station ESCO in network NT10




Station GIRO in network NT10




Station GRAU in network NT10




Station MEQU in network NT10




Station PUIG in network NT10




Station TARR in network NT10




Station TRRG in network NT10




Station VRO2 in network NT10




RefCheck for station ALC1 in network NT10




RefCheck for station BCL1 in network NT10




RefCheck for station BCLN in network NT10




RefCheck for station BELL in network NT10




RefCheck for station BERG in network NT10




RefCheck for station CREU in network NT10




RefCheck for station EBRE in network NT10




RefCheck for station ESCO in network NT10




RefCheck for station GIRO in network NT10




RefCheck for station GRAU in network NT10




RefCheck for station MEQU in network NT10




RefCheck for station PUIG in network NT10




RefCheck for station TARR in network NT10



RefCheck for station TRRG in network NT10



RefCheck for station VRO2 in network NT10



RefCheck values for network NT10

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ALC1	-0.013	0.007	0.002	-0.001	0.02	0.003	-0.005	0.05	0.008	0.003	0.007	5162	8.5	60051	98.6
BCL1	-0.022	0.005	0.004	-0.017	0.005	0.003	-0.065	0.011	0.014	0.004	0.013	5906	9.7	9999	16.4
BCLN	-0.028	0.004	0.004	-0.019	0.002	0.003	-0.046	0.012	0.013	0.004	0.008	3926	6.4	7402	12.2
BELL	-0.003	0.016	0.003	-0.003	0.023	0.002	-0.029	0.036	0.01	0.003	0.005	2678	4.4	20486	33.6
BERG	-0.013	0.003	0.002	-0.001	0.015	0.003	-0.019	0.013	0.004	0.002	0.003	4130	6.8	612	1.0
CREU	-0.044	0.017	0.016	-0.01	0.026	0.006	-0.179	0.018	0.059	0.016	0.06	16105	26.4	18215	29.9
EBRE	-0.004	0.01	0.002	-0.005	0.008	0.002	-0.026	0.027	0.005	0.002	0.003	25	0.0	968	1.6
ESCO	-0.015	0.019	0.005	-0.017	0.013	0.003	-0.059	0.101	0.026	0.004	0.023	10101	16.6	14629	24.0
GIRO	-0.017	0.017	0.004	-0.023	0.004	0.003	-0.081	0.034	0.016	0.003	0.011	20256	33.3	5303	8.7
GRAU	-0.007	0.006	0.001	-0.013	0.008	0.003	-0.026	0.037	0.012	0.002	0.006	1456	2.4	5499	9.0
MEQU	-0.009	0.007	0.002	-0.029	0.005	0.003	-0.015	0.138	0.013	0.003	0.013	4540	7.5	11689	19.2
PUIG	-0.012	0.022	0.005	-0.009	0.026	0.005	-0.024	0.07	0.02	0.004	0.017	17450	28.7	14484	23.8
TARR	-0.026	0.003	0.004	-0.012	0.005	0.003	-0.036	0.023	0.01	0.005	0.008	9158	15.0	5087	8.4
TRRG	-0.013	0.001	0.003	-0.014	0.0	0.001	-0.007	0.034	0.006	0.002	0.005	28280	46.4	4030	6.6
VRO2	-0.0	0.03	0.003	-0.019	0.007	0.003	-0.011	0.027	0.004	0.003	0.003	7558	12.4	1861	3.1
Mean	-0.015	0.011	0.004	-0.013	0.011	0.003	-0.042	0.042	0.015	0.004	0.012	9115.4	15.0	12021.0	19.7
Min/Max	-0.044	0.03	0.016	-0.029	0.026	0.006	-0.179	0.138	0.059	0.016	0.06	28280	46.4	60051	98.6

fixing statistic for network NT10

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	92.3	93.5	93.2	94.9	88.4
considering satellites with dual-frequency fixed	90.1	90.1	90.2	92.0	87.6
considering all signals separately	90.1	90.1	90.2	92.2	86.7