

summary for network NT14

timeperiod chosen: from 2024-10-03-00:00:00 until 2024-10-03-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.7 seconds


average fixing percentage with threshold set to 0.3: 74.1 percent

stations available: 14 of 14


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: GPPNULLANTENNA	NONE	receiver: TRIMBLE NETR9	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station JUMA:	antenna: LEIAR20	LEIM	receiver: LEICA GR30	height: 610.246
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.644
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GRX1200GGPRO	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOI:	antenna: GPPNULLANTENNA	NONE	receiver: TRIMBLE NETR9	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station JUMA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station JUMA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.022	0.013	0.006	-0.026	0.006	0.006	-0.005	0.077	0.017	0.004	0.015	30517	61.7	15918	32.2
AIO2	-0.013	0.004	0.004	-0.006	0.01	0.003	-0.041	0.011	0.009	0.002	0.005	4205	8.5	3627	7.3
ALAC	-0.007	0.037	0.004	-0.051	0.022	0.014	-0.032	0.026	0.011	0.008	0.009	32319	65.4	18784	38.0
ALCO	-0.006	0.004	0.002	-0.022	0.0	0.005	-0.057	0.026	0.008	0.004	0.007	19187	38.8	7363	14.9
BORR	-0.01	0.009	0.003	-0.006	0.011	0.002	-0.034	0.032	0.012	0.002	0.008	562	1.1	6516	13.2
DENI	-0.021	0.007	0.007	-0.005	0.017	0.004	-0.043	0.034	0.016	0.007	0.01	17544	35.5	19943	40.4
IEJA	-0.017	0.018	0.006	-0.014	0.03	0.008	-0.043	0.044	0.016	0.006	0.009	23273	47.1	14291	28.9
JUMA	-0.022	0.01	0.003	-0.026	0.007	0.005	-0.015	0.04	0.009	0.003	0.007	5179	10.5	8896	18.0
PENI	-0.019	0.042	0.006	-0.015	0.02	0.006	-0.088	0.09	0.027	0.006	0.017	7882	15.9	23049	46.6
SARR	-0.009	0.013	0.004	-0.006	0.018	0.004	-0.056	0.021	0.012	0.003	0.009	3094	6.3	10013	20.3
TORO	-0.016	0.011	0.006	-0.01	0.017	0.005	-0.027	0.038	0.012	0.004	0.008	10628	21.5	9783	19.8
UTIE	-0.025	0.004	0.003	-0.029	0.021	0.007	-0.125	0.06	0.035	0.006	0.027	19534	39.5	10407	21.1
VALE	-0.015	0.009	0.003	-0.012	0.003	0.002	-0.037	0.059	0.015	0.001	0.01	6537	16.5	7999	20.2
VJOI	-0.024	0.015	0.006	-0.017	0.018	0.005	-0.029	0.101	0.022	0.005	0.018	11656	23.6	16577	33.5
Mean	-0.016	0.014	0.004	-0.017	0.014	0.005	-0.045	0.047	0.016	0.004	0.011	13722.6	28.0	12369.0	25.3
Min/Max	-0.025	0.042	0.007	-0.051	0.03	0.014	-0.125	0.101	0.035	0.008	0.027	32319	65.4	23049	46.6

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	74.1	81.5	64.0	68.9	76.8
considering satellites with dual-frequency fixed	66.7	74.3	51.6	63.2	72.9
considering all signals separately	66.9	74.6	51.6	63.5	71.4