

summary for network NT14

timeperiod chosen: from 2025-01-11-00:00:00 until 2025-01-11-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 84.2 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25 LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3 LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: GPPNULLANTENNA NONE	receiver: TRIMBLE NETR9	height: 73.019
station DENI:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4 LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GRX1200GGPRO	height: 799.741
station VALE:	antenna: LEIAR25.R3 LEIT	receiver: LEICA GR50	height: 80.598
station VJOI:	antenna: GPPNULLANTENNA NONE	receiver: TRIMBLE NETR9	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.011	0.03	0.007	-0.009	0.013	0.002	-0.033	0.044	0.016	0.005	0.01	17041	22.6	31939	42.4
AIO2	-0.013	0.008	0.004	-0.008	0.01	0.002	-0.021	0.058	0.011	0.003	0.006	7915	10.5	1714	2.3
ALAC	-0.021	0.01	0.005	-0.012	0.008	0.003	-0.021	0.055	0.011	0.004	0.01	7541	10.0	8643	11.5
ALCO	-0.003	0.009	0.002	-0.022	0.003	0.004	-0.029	0.023	0.007	0.003	0.004	7103	9.4	3762	5.0
BORR	-0.017	0.008	0.001	-0.003	0.012	0.003	-0.04	0.013	0.008	0.002	0.005	3226	4.3	3265	4.3
DENI	-0.013	0.007	0.003	-0.003	0.016	0.002	-0.012	0.03	0.007	0.002	0.004	58676	78.0	8411	11.2
IEJA	-0.031	0.015	0.004	-0.028	0.026	0.007	-0.038	0.03	0.013	0.005	0.007	25930	34.5	13083	17.4
PENI	-0.028	0.015	0.006	-0.014	0.023	0.004	-0.043	0.032	0.015	0.005	0.009	33397	44.4	33598	44.6
SARR	-0.007	0.017	0.002	-0.005	0.015	0.002	-0.028	0.034	0.008	0.002	0.004	6541	8.7	2366	3.1
TORO	-0.014	0.013	0.005	-0.006	0.014	0.003	-0.073	0.033	0.022	0.004	0.014	15036	20.0	28569	38.0
UTIE	-0.026	0.001	0.003	-0.022	0.004	0.004	-0.031	0.027	0.007	0.003	0.004	72693	96.6	20037	26.6
VALE	-0.005	0.017	0.003	-0.011	0.002	0.002	-0.021	0.033	0.006	0.002	0.004	7421	9.9	2892	3.8
VJOI	-0.02	0.014	0.007	-0.012	0.023	0.004	-0.063	0.065	0.026	0.005	0.016	35389	47.0	43989	58.4
Mean	-0.016	0.013	0.004	-0.012	0.013	0.003	-0.035	0.037	0.012	0.003	0.007	22916.1	30.5	15559.1	20.7
Min/Max	-0.031	0.03	0.007	-0.028	0.026	0.007	-0.073	0.065	0.026	0.005	0.016	72693	96.6	43989	58.4

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	84.2	87.7	80.1	89.8	77.8
considering satellites with dual-frequency fixed	76.2	81.6	64.1	83.7	71.6
considering all signals separately	76.9	81.1	64.1	83.9	70.6