

summary for network NT14

timeperiod chosen: from 2025-04-26-00:00:00 until 2025-04-26-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 90.0 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: GPPNULLANTENNA	NONE	receiver: TRIMBLE NETR9	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GRX1200GGPRO	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOL:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.01	0.027	0.004	-0.021	0.012	0.005	-0.045	0.053	0.014	0.004	0.009	44458	58.7	16052	21.2
AIO2	-0.015	0.008	0.004	-0.026	0.017	0.006	-0.044	0.02	0.013	0.004	0.01	15957	21.1	16763	22.1
ALAC	-0.008	0.021	0.004	-0.021	0.016	0.005	-0.034	0.023	0.01	0.004	0.007	18285	24.2	10209	13.5
ALCO	-0.014	0.016	0.005	-0.023	0.011	0.005	-0.029	0.04	0.011	0.004	0.007	14875	19.7	9331	12.3
BORR	-0.013	0.007	0.003	-0.008	0.013	0.004	-0.042	0.018	0.01	0.003	0.006	7792	10.3	11056	14.6
DENI	-0.012	0.012	0.004	-0.008	0.014	0.004	-0.024	0.017	0.009	0.003	0.005	7893	10.4	6468	8.5
IEJA	-0.009	0.018	0.006	-0.033	0.011	0.005	-0.024	0.043	0.012	0.005	0.007	16067	21.2	9417	12.4
PENI	-0.024	0.007	0.006	-0.008	0.017	0.004	-0.018	0.031	0.01	0.005	0.006	30177	39.9	10299	13.6
SARR	-0.01	0.011	0.004	-0.009	0.016	0.004	-0.038	0.018	0.01	0.003	0.007	13306	17.6	17467	23.1
TOR0	-0.009	0.014	0.004	-0.009	0.013	0.004	-0.016	0.029	0.009	0.003	0.006	7922	10.5	6920	9.1
UTIE	-0.038	0.017	0.007	-0.028	0.028	0.007	-0.017	0.062	0.012	0.005	0.009	51771	68.4	27670	36.6
VALE	-0.013	0.013	0.003	-0.018	0.007	0.004	-0.024	0.034	0.012	0.003	0.006	19404	25.6	11500	15.2
VJOI	-0.033	0.014	0.006	-0.013	0.026	0.005	-0.03	0.035	0.016	0.005	0.008	17416	23.0	28700	37.9
Mean	-0.016	0.014	0.005	-0.017	0.015	0.005	-0.03	0.033	0.011	0.004	0.007	20409.5	27.0	13988.6	18.5
Min/Max	-0.038	0.027	0.007	-0.033	0.028	0.007	-0.045	0.062	0.016	0.005	0.01	51771	68.4	28700	37.9

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	90.0	91.8	87.7	94.0	85.8
considering satellites with dual-frequency fixed	86.5	88.2	81.8	91.1	82.6
considering all signals separately	86.7	88.0	81.8	91.1	81.6