

summary for network NET1

timeperiod chosen: from 2025-05-01-00:00:00 until 2025-05-01-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.2 seconds


average fixing percentage with threshold set to 0.3: 88.0 percent

stations available: 15 of 15


station information:

station AJAL:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 884.142
station ARAJ:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 580.921
station ARSP:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 638.139
station AVI2:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 1206.515
station BUIT:	antenna: TRM57971.00 TZGD	receiver: TRIMBLE NETR9	height: 1032.705
station IGNE:	antenna: LEIAT504GG LEIS	receiver: LEICA GR50	height: 766.956
station MAD1:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 724.483
station OLM1:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 829.129
station ORUS:	antenna: TRM57971.00 TZGD	receiver: TRIMBLE NETR9	height: 862.752
station PEN1:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 814.558
station RIA1:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 1263.778
station SGVA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1076.312
station SMDV:	antenna: TPSCR.G3 TPSH	receiver: TPS NET-G5	height: 670.791
station TALV:	antenna: TPSCR.G5 TPSH	receiver: TPS NET-G5	height: 458.35
station YEB1:	antenna: LEIAR25 NONE	receiver: LEICA GR25	height: 975.396


Processing rate in network NET1




Histogram of the processing rate in network NET1 (durations larger 15 seconds neglected)




Network NET1 with threshold set to 0.3




Fixing percentage of satellites in network NET1 with threshold set to 0.3




Network NET1 - only GPS with threshold set to 0.3




Network NET1 - only GLONASS with threshold set to 0.3




Network NET1 - only BDS with threshold set to 0.3




Network NET1 - only Galileo with threshold set to 0.3




Station AJAL in network NET1




Station ARAJ in network NET1




Station ARSP in network NET1




Station AVI2 in network NET1




Station BUIT in network NET1




Station IGNE in network NET1




Station MAD1 in network NET1




Station OLM1 in network NET1




Station ORUS in network NET1




Station PEN1 in network NET1




Station RIA1 in network NET1




Station SGVA in network NET1




Station SMDV in network NET1




Station TALV in network NET1




Station YEB1 in network NET1




RefCheck for station AJAL in network NET1




RefCheck for station ARAJ in network NET1




RefCheck for station ARSP in network NET1




RefCheck for station AVI2 in network NET1




RefCheck for station BUIT in network NET1




RefCheck for station IGNE in network NET1




RefCheck for station MAD1 in network NET1




RefCheck for station OLM1 in network NET1




RefCheck for station ORUS in network NET1




RefCheck for station PEN1 in network NET1




RefCheck for station RIA1 in network NET1




RefCheck for station SGVA in network NET1




RefCheck for station SMDV in network NET1



RefCheck for station TALV in network NET1



RefCheck for station YEB1 in network NET1



RefCheck values for network NET1

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
AJAL	-0.026	0.007	0.005	-0.006	0.017	0.004	-0.018	0.04	0.008	0.004	0.005	34092	49.1	4625	6.7
ARAJ	-0.015	0.008	0.004	-0.021	0.007	0.004	-0.014	0.03	0.007	0.003	0.005	9298	13.4	2343	3.4
ARSP	-0.027	0.01	0.006	-0.014	0.013	0.004	-0.029	0.029	0.01	0.005	0.007	11806	17.0	8402	12.1
AVI2	-0.032	0.009	0.009	-0.023	0.01	0.005	-0.015	0.051	0.014	0.007	0.011	36228	52.2	20546	29.6
BUIT	-0.013	0.01	0.004	-0.005	0.02	0.004	-0.029	0.018	0.009	0.004	0.005	31167	44.9	6413	9.2
IGNE	-0.018	0.004	0.004	-0.009	0.011	0.003	-0.023	0.025	0.008	0.003	0.004	7200	10.4	2122	3.1
MAD1	-0.01	0.008	0.003	-0.008	0.009	0.003	-0.029	0.015	0.006	0.002	0.004	80	0.1	2029	2.9
OLM1	-0.013	0.014	0.005	-0.018	0.016	0.005	-0.034	0.021	0.008	0.003	0.005	8059	11.6	2400	3.5
ORUS	-0.006	0.013	0.003	-0.006	0.016	0.003	-0.017	0.017	0.006	0.003	0.003	14942	21.5	0	0.0
PEN1	-0.019	0.026	0.006	-0.006	0.026	0.005	-0.029	0.03	0.01	0.005	0.007	23477	33.8	12171	17.5
RIA1	-0.006	0.039	0.008	-0.013	0.018	0.005	-0.038	0.034	0.014	0.008	0.01	55596	80.0	33774	48.6
SGVA	-0.025	0.034	0.009	-0.026	0.02	0.006	-0.031	0.08	0.015	0.006	0.011	27655	39.8	17042	24.5
SMDV	-0.018	0.011	0.004	-0.026	0.01	0.006	-0.106	0.01	0.012	0.005	0.012	9154	13.2	15878	22.9
TALV	-0.006	0.015	0.004	-0.024	-0.0	0.004	-0.016	0.044	0.012	0.004	0.006	60079	86.5	15775	22.7
YEB1	-0.015	0.004	0.003	-0.012	0.005	0.003	-0.015	0.023	0.007	0.003	0.004	4231	6.1	704	1.0
Mean	-0.017	0.014	0.005	-0.014	0.013	0.004	-0.03	0.031	0.01	0.004	0.007	22204.3	32.0	9614.9	13.8
Min/Max	-0.032	0.039	0.009	-0.026	0.026	0.006	-0.106	0.08	0.015	0.008	0.012	60079	86.5	33774	48.6

fixing statistic for network NET1

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	88.0	91.8	91.1	91.4	79.0
considering satellites with dual-frequency fixed	84.8	86.9	84.9	86.9	78.9
considering all signals separately	85.0	87.1	84.9	87.1	78.1