

summary for network N01T

timeperiod chosen: from 2025-06-03-00:00:00 until 2025-06-03-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.0 seconds


average fixing percentage with threshold set to 0.3: 88.4 percent

stations available: 12 of 17


station information:

station ARAJ:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 580.921
station BUIT:	antenna: TRM57971.00	TZGD	receiver: TRIMBLE NETR9	height: 1032.705
station IGNE:	antenna: LEIAT504GG	LEIS	receiver: LEICA GR50	height: 766.956
station IGNE:	antenna: LEIAT504GG	LEIS	receiver: LEICA GR50	height: 766.956
station MAD1:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 724.483
station MAD1:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 724.483
station ORUS:	antenna: TRM57971.00	TZGD	receiver: TRIMBLE NETR9	height: 862.752
station SMDV:	antenna: TPSCR.G3	TPSH	receiver: TPS NET-G5	height: 670.791
station TALV:	antenna: TPSCR.G5	TPSH	receiver: TPS NET-G5	height: 458.35
station SMDV:	antenna: TPSCR.G3	TPSH	receiver: TPS NET-G5	height: 670.791
station TALV:	antenna: TPSCR.G5	TPSH	receiver: TPS NET-G5	height: 458.35
station YEB1:	antenna: LEIAR25	NONE	receiver: LEICA GR25	height: 975.396


Processing rate in network N01T




Histogram of the processing rate in network N01T (durations larger 15 seconds neglected)




Network N01T with threshold set to 0.3




Fixing percentage of satellites in network N01T with threshold set to 0.3




Network N01T - only GPS with threshold set to 0.3




Network N01T - only GLONASS with threshold set to 0.3




Network N01T - only BDS with threshold set to 0.3




Network N01T - only Galileo with threshold set to 0.3




Station ARAJ in network N01T




Station BUIT in network N01T




Station IGNE in network N01T




Station IGNE in network N01T




Station MAD1 in network N01T




Station MAD1 in network N01T




Station ORUS in network N01T




Station SMDV in network N01T




Station TALV in network N01T




Station SMDV in network N01T




Station TALV in network N01T




Station YEB1 in network N01T




RefCheck for station ARAJ in network N01T




RefCheck for station BUIT in network N01T




RefCheck for station IGNE in network N01T




RefCheck for station IGNE in network N01T




RefCheck for station MAD1 in network N01T




RefCheck for station MAD1 in network N01T




RefCheck for station ORUS in network N01T




RefCheck for station SMDV in network N01T




RefCheck for station TALV in network N01T




RefCheck for station SMDV in network N01T



RefCheck for station TALV in network N01T



RefCheck for station YEB1 in network N01T



RefCheck values for network N01T

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ARAJ	-0.015	0.016	0.005	-0.024	0.01	0.005	-0.029	0.036	0.011	0.005	0.007	30999	36.7	15007	17.8
BUIT	-0.025	0.015	0.007	-0.039	0.035	0.011	-0.034	0.059	0.018	0.008	0.014	47178	55.9	26104	30.9
IGNE	-0.021	0.018	0.006	-0.018	0.013	0.006	-0.073	0.017	0.017	0.005	0.013	24283	28.8	14908	17.7
IGNE	-0.021	0.018	0.006	-0.018	0.013	0.006	-0.073	0.017	0.017	0.005	0.013	24283	28.8	14908	17.7
MAD1	-0.012	0.009	0.004	-0.015	0.014	0.005	-0.048	0.018	0.013	0.003	0.01	10957	13.0	15402	18.2
MAD1	-0.012	0.009	0.004	-0.015	0.014	0.005	-0.048	0.018	0.013	0.003	0.01	10957	13.0	15402	18.2
ORUS	-0.026	0.021	0.006	-0.01	0.04	0.006	-0.036	0.08	0.023	0.006	0.016	35937	42.5	30333	35.9
SMDV	-0.013	0.04	0.007	-0.017	0.012	0.006	-0.042	0.05	0.017	0.005	0.011	17563	20.8	35079	41.5
TALV	-0.01	0.015	0.005	-0.04	0.01	0.007	-0.06	0.016	0.013	0.006	0.009	72338	85.6	33496	39.7
SMDV	-0.013	0.04	0.007	-0.017	0.012	0.006	-0.042	0.05	0.017	0.005	0.011	17563	20.8	35079	41.5
TALV	-0.01	0.015	0.005	-0.04	0.01	0.007	-0.06	0.016	0.013	0.006	0.009	72338	85.6	33496	39.7
YEB1	-0.022	0.008	0.005	-0.032	0.025	0.006	-0.044	0.044	0.013	0.005	0.009	18157	21.5	14168	16.8
Mean	-0.017	0.019	0.006	-0.024	0.017	0.006	-0.049	0.035	0.015	0.005	0.011	31879.4	37.8	23615.2	28.0
Min/Max	-0.026	0.04	0.007	-0.04	0.04	0.011	-0.073	0.08	0.023	0.008	0.016	72338	85.6	35079	41.5

fixing statistic for network N01T

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	88.4	91.9	85.7	90.6	79.4
considering satellites with dual-frequency fixed	86.4	89.2	82.4	88.6	79.8
considering all signals separately	86.3	89.3	82.5	88.7	75.1