

summary for network NET5

timeperiod chosen: from 2025-06-19-00:00:00 until 2025-06-19-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.5 seconds


average fixing percentage with threshold set to 0.3: 86.4 percent

stations available: 10 of 11


station information:

station ALMZ:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 1019.452
station ARDU:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 844.466
station BUOS:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 963.896
station BURG:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 939.518
station CALH:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 411.39
station CERV:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 723.317
station QINT:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 1191.829
station SORI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1135.68
station SROM:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1150.486
station VTRO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1626.177


Processing rate in network NET5




Histogram of the processing rate in network NET5 (durations larger 15 seconds neglected)




Network NET5 with threshold set to 0.3




Fixing percentage of satellites in network NET5 with threshold set to 0.3




Network NET5 - only GPS with threshold set to 0.3




Network NET5 - only GLONASS with threshold set to 0.3




Network NET5 - only BDS with threshold set to 0.3




Network NET5 - only Galileo with threshold set to 0.3




Station ALMZ in network NET5




Station ARDU in network NET5




Station BUOS in network NET5




Station BURG in network NET5




Station CALH in network NET5




Station CERV in network NET5




Station QINT in network NET5




Station SORI in network NET5




Station SROM in network NET5




Station VTRO in network NET5




RefCheck for station ALMZ in network NET5




RefCheck for station ARDU in network NET5




RefCheck for station BUOS in network NET5




RefCheck for station BURG in network NET5




RefCheck for station CALH in network NET5




RefCheck for station CERV in network NET5




RefCheck for station QINT in network NET5




RefCheck for station SORI in network NET5



RefCheck for station SROM in network NET5



RefCheck for station VTRO in network NET5



RefCheck values for network NET5

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ALMZ	-0.006	0.013	0.003	-0.005	0.011	0.003	-0.009	0.026	0.006	0.002	0.005	5029	8.5	2304	3.9
ARDU	-0.011	0.021	0.004	-0.019	0.008	0.004	-0.037	0.024	0.011	0.004	0.006	6931	11.7	7069	12.0
BUOS	-0.013	0.012	0.004	-0.014	0.015	0.005	-0.03	0.034	0.01	0.003	0.007	7109	12.0	6319	10.7
BURG	-0.017	0.008	0.003	-0.019	0.008	0.004	-0.036	0.017	0.009	0.004	0.007	7367	12.5	3931	6.7
CALH	-0.012	0.021	0.005	-0.016	0.034	0.005	-0.033	0.08	0.009	0.005	0.009	12699	21.5	6775	11.5
CERV	-0.02	0.008	0.004	-0.022	0.018	0.006	-0.036	0.039	0.012	0.005	0.006	40971	69.3	18301	31.0
QINT	-0.013	0.016	0.005	-0.021	0.011	0.004	-0.056	0.021	0.01	0.004	0.008	5600	9.5	4553	7.7
SORI	-0.026	0.013	0.004	-0.023	0.008	0.004	-0.041	0.053	0.01	0.004	0.009	4900	8.3	6968	11.8
SROM	-0.016	0.022	0.004	-0.014	0.021	0.004	-0.024	0.025	0.008	0.004	0.006	10716	18.1	3579	6.1
VTRO	-0.021	0.013	0.004	-0.014	0.018	0.004	-0.029	0.05	0.01	0.003	0.006	6867	11.6	5214	8.8
Mean	-0.016	0.015	0.004	-0.017	0.015	0.004	-0.033	0.037	0.009	0.004	0.007	10818.9	18.3	6501.3	11.0
Min/Max	-0.026	0.022	0.005	-0.023	0.034	0.006	-0.056	0.08	0.012	0.005	0.009	40971	69.3	18301	31.0

fixing statistic for network NET5

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	86.4	91.2	78.0	92.6	80.8
considering satellites with dual-frequency fixed	75.6	79.3	64.2	83.1	71.2
considering all signals separately	76.1	79.0	64.2	83.3	69.0