

summary for network NT14

timeperiod chosen: from 2025-06-23-00:00:00 until 2025-06-23-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.2 seconds


average fixing percentage with threshold set to 0.3: 90.8 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: LEIAR10	NONE	receiver: LEICA GR30	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GRX1200GGPRO	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	0.0	0.014	0.003	-0.013	0.002	0.003	0.0	0.058	0.01	0.003	0.009	28739	40.4	60812	85.4
AIO2	-0.017	0.006	0.003	-0.021	0.011	0.004	-0.08	0.053	0.02	0.004	0.014	7241	10.2	36665	51.5
ALAC	-0.011	0.009	0.003	-0.011	0.004	0.002	-0.008	0.041	0.009	0.002	0.008	929	1.3	40787	57.3
ALCO	-0.014	0.009	0.003	-0.03	0.004	0.004	-0.045	0.054	0.016	0.004	0.01	6785	9.5	53512	75.2
BORR	-0.019	0.029	0.006	-0.026	0.034	0.009	-0.086	0.047	0.031	0.007	0.024	27517	38.7	59839	84.1
DENI	-0.004	0.02	0.004	-0.018	0.009	0.004	-0.012	0.037	0.01	0.003	0.008	16173	22.7	35208	49.5
IEJA	-0.017	0.031	0.006	-0.022	0.013	0.005	-0.021	0.06	0.015	0.005	0.013	9922	13.9	43603	61.3
PENI	-0.019	0.019	0.005	-0.01	0.028	0.005	-0.012	0.076	0.015	0.004	0.014	25780	36.2	59398	83.4
SARR	-0.017	0.012	0.004	-0.014	0.016	0.004	-0.025	0.029	0.011	0.003	0.006	11931	16.8	16278	22.9
TOR0	-0.006	0.012	0.003	-0.009	0.01	0.003	-0.039	0.051	0.013	0.002	0.01	740	1.0	45584	64.0
UTIE	-0.026	0.002	0.004	-0.018	0.017	0.006	-0.023	0.087	0.017	0.005	0.012	51944	73.0	58941	82.8
VALE	-0.006	0.015	0.003	-0.018	0.002	0.003	-0.016	0.048	0.012	0.003	0.01	16674	23.4	55161	77.5
VJOI	-0.013	0.011	0.004	-0.009	0.015	0.004	-0.006	0.058	0.014	0.003	0.014	3100	4.4	44281	62.2
Mean	-0.013	0.015	0.004	-0.017	0.013	0.004	-0.029	0.054	0.015	0.004	0.012	15959.6	22.4	46928.4	65.9
Min/Max	-0.026	0.031	0.006	-0.03	0.034	0.009	-0.086	0.087	0.031	0.007	0.024	51944	73.0	60812	85.4

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	90.8	92.3	89.0	93.6	87.9
considering satellites with dual-frequency fixed	85.4	86.8	81.4	89.1	82.8
considering all signals separately	85.5	86.7	81.4	89.2	81.6