

summary for network NET5

timeperiod chosen: from 2025-06-24-00:00:00 until 2025-06-24-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 78.0 percent

stations available: 9 of 10


station information:

station ARDU:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 844.466
station BUOS:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 963.896
station BURG:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 939.518
station CALH:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 411.39
station CERV:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 723.317
station QINT:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 1191.829
station SORI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1135.68
station SROM:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1150.486
station VTRO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1626.177


Processing rate in network NET5




Histogram of the processing rate in network NET5 (durations larger 15 seconds neglected)




Network NET5 with threshold set to 0.3




Fixing percentage of satellites in network NET5 with threshold set to 0.3




Network NET5 - only GPS with threshold set to 0.3




Network NET5 - only GLONASS with threshold set to 0.3




Network NET5 - only BDS with threshold set to 0.3




Network NET5 - only Galileo with threshold set to 0.3




Station ARDU in network NET5




Station BUOS in network NET5




Station BURG in network NET5




Station CALH in network NET5




Station CERV in network NET5




Station QINT in network NET5




Station SORI in network NET5




Station SROM in network NET5




Station VTRO in network NET5




RefCheck for station ARDU in network NET5




RefCheck for station BUOS in network NET5




RefCheck for station BURG in network NET5




RefCheck for station CALH in network NET5




RefCheck for station CERV in network NET5




RefCheck for station QINT in network NET5




RefCheck for station SORI in network NET5



RefCheck for station SROM in network NET5



RefCheck for station VTRO in network NET5



RefCheck values for network NET5

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ARDU	-0.011	0.017	0.005	-0.027	0.015	0.005	-0.021	0.029	0.009	0.004	0.006	8720	10.6	15718	19.2
BUOS	-0.015	0.019	0.005	-0.028	0.017	0.006	-0.038	0.04	0.012	0.004	0.008	17314	21.1	16023	19.5
BURG	-0.009	0.018	0.004	-0.018	0.014	0.004	-0.03	0.013	0.009	0.003	0.006	5253	6.4	5849	7.1
CALH	-0.009	0.02	0.004	-0.012	0.014	0.004	-0.033	0.015	0.008	0.003	0.006	9416	11.5	7096	8.7
CERV	-0.023	0.002	0.004	-0.022	0.004	0.004	-0.022	0.009	0.006	0.004	0.004	65059	79.3	9731	11.9
QINT	-0.021	0.012	0.004	-0.015	0.025	0.005	-0.016	0.035	0.009	0.004	0.007	13133	16.0	6942	8.5
SORI	-0.024	0.011	0.004	-0.015	0.013	0.004	-0.046	0.028	0.011	0.004	0.007	9936	12.1	7886	9.6
SROM	-0.009	0.035	0.006	-0.01	0.029	0.006	-0.026	0.011	0.007	0.006	0.007	18887	23.0	13315	16.2
VTRO	-0.018	0.026	0.006	-0.021	0.039	0.007	-0.025	0.037	0.011	0.006	0.008	23164	28.2	15273	18.6
Mean	-0.015	0.018	0.005	-0.019	0.019	0.005	-0.029	0.024	0.009	0.004	0.007	18986.9	23.1	10870.3	13.3
Min/Max	-0.024	0.035	0.006	-0.028	0.039	0.007	-0.046	0.04	0.012	0.006	0.008	65059	79.3	16023	19.5

fixing statistic for network NET5

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	78.0	88.5	56.3	88.6	71.4
considering satellites with dual-frequency fixed	67.2	75.5	44.1	77.9	63.3
considering all signals separately	68.2	75.2	44.1	78.1	60.7