

summary for network NT14

timeperiod chosen: from 2025-07-11-00:00:00 until 2025-07-11-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.2 seconds


average fixing percentage with threshold set to 0.3: 88.7 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: LEIAR10	NONE	receiver: LEICA GR30	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GRX1200GGPRO	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOL:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.002	0.022	0.004	-0.024	0.01	0.006	-0.033	0.06	0.02	0.005	0.011	44881	64.5	52376	75.3
AIO2	-0.028	0.024	0.007	-0.038	0.025	0.007	-0.06	0.058	0.018	0.005	0.012	25623	36.8	43500	62.5
ALAC	-0.009	0.018	0.005	-0.024	0.01	0.005	-0.021	0.057	0.016	0.004	0.011	20659	29.7	56184	80.7
ALCO	-0.018	0.025	0.005	-0.029	0.034	0.007	-0.046	0.061	0.019	0.005	0.014	21719	31.2	46815	67.3
BORR	-0.028	0.03	0.009	-0.023	0.03	0.008	-0.071	0.024	0.023	0.007	0.018	35697	51.3	54265	78.0
DENI	-0.015	0.028	0.007	-0.019	0.022	0.005	-0.043	0.043	0.019	0.005	0.011	24433	35.1	35644	51.2
IEJA	-0.054	0.017	0.007	-0.048	0.038	0.007	-0.046	0.06	0.02	0.006	0.014	20002	28.7	45464	65.3
PENI	-0.023	0.015	0.007	-0.015	0.023	0.006	-0.028	0.063	0.019	0.005	0.013	30256	43.5	58828	84.5
SARR	-0.008	0.03	0.006	-0.022	0.023	0.006	-0.029	0.045	0.017	0.006	0.01	20942	30.1	46437	66.7
TOR0	-0.013	0.017	0.005	-0.013	0.013	0.005	-0.031	0.06	0.014	0.004	0.011	15538	22.3	49593	71.3
UTIE	-0.027	0.027	0.007	-0.038	0.025	0.007	-0.026	0.06	0.017	0.005	0.013	52703	75.7	52685	75.7
VALE	-0.009	0.028	0.007	-0.027	0.01	0.005	-0.021	0.06	0.016	0.005	0.011	27678	39.8	62508	89.8
VJOI	-0.019	0.019	0.006	-0.011	0.019	0.005	-0.007	0.056	0.014	0.004	0.013	17377	25.0	52168	75.0
Mean	-0.019	0.023	0.006	-0.025	0.022	0.006	-0.036	0.054	0.018	0.005	0.012	27500.6	39.5	50497.5	72.6
Min/Max	-0.054	0.03	0.009	-0.048	0.038	0.008	-0.071	0.063	0.023	0.007	0.018	52703	75.7	62508	89.8

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	88.7	90.7	89.4	91.8	84.0
considering satellites with dual-frequency fixed	79.6	80.1	79.6	82.9	75.7
considering all signals separately	79.6	80.1	79.6	83.1	74.2