

summary for network NT13

timeperiod chosen: from 2025-08-03-00:00:00 until 2025-08-03-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 88.8 percent

stations available: 15 of 17


station information:

station ALGC:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 117.171
station AND2:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 284.274
station CABR:	antenna: LEIAT504 LEIS	receiver: LEICA GR25	height: 572.15
station CAZA:	antenna: LEIAR20 LEIM	receiver: LEICA GR25	height: 663.115
station CEU1:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 52.521
station CRDB:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 196.076
station HUEL:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 81.905
station LEBR:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 77.577
station MALA:	antenna: LEIAR25.R4 LEIT	receiver: LEICA GR25	height: 122.877
station MOFR:	antenna: TRM57971.00 TZGD	receiver: TRIMBLE NETR9	height: 276.415
station OSUN:	antenna: GPPNULLANTENNA NONE	receiver: TRIMBLE NETR9	height: 363.146
station RON1:	antenna: GPPNULLANTENNA NONE	receiver: TRIMBLE NETR9	height: 820.772
station SEV1:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 69.752
station TAR0:	antenna: LEIAR20 LEIM	receiver: LEICA GR25	height: 50.076
station UCA1:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 67.718


Processing rate in network NT13




Histogram of the processing rate in network NT13 (durations larger 15 seconds neglected)




Network NT13 with threshold set to 0.3




Fixing percentage of satellites in network NT13 with threshold set to 0.3




Network NT13 - only GPS with threshold set to 0.3




Network NT13 - only GLONASS with threshold set to 0.3




Network NT13 - only BDS with threshold set to 0.3




Network NT13 - only Galileo with threshold set to 0.3




Station ALGC in network NT13




Station AND2 in network NT13




Station CABR in network NT13




Station CAZA in network NT13




Station CEU1 in network NT13




Station CRDB in network NT13




Station HUEL in network NT13




Station LEBR in network NT13




Station MALA in network NT13




Station MOFR in network NT13




Station OSUN in network NT13




Station RON1 in network NT13




Station SEV1 in network NT13




Station TAR0 in network NT13




Station UCA1 in network NT13




RefCheck for station ALGC in network NT13




RefCheck for station AND2 in network NT13




RefCheck for station CABR in network NT13




RefCheck for station CAZA in network NT13




RefCheck for station CEU1 in network NT13




RefCheck for station CRDB in network NT13




RefCheck for station HUEL in network NT13




RefCheck for station LEBR in network NT13




RefCheck for station MALA in network NT13




RefCheck for station MOFR in network NT13




RefCheck for station OSUN in network NT13




RefCheck for station RON1 in network NT13




RefCheck for station SEV1 in network NT13



RefCheck for station TAR0 in network NT13



RefCheck for station UCA1 in network NT13



RefCheck values for network NT13

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ALGC	-0.004	0.021	0.004	-0.022	0.006	0.004	-0.02	0.018	0.006	0.004	0.005	14817	19.2	4447	5.8
AND2	-0.013	0.009	0.003	-0.004	0.03	0.004	-0.033	0.021	0.008	0.004	0.007	11705	15.1	10982	14.2
CABR	-0.016	0.01	0.004	-0.002	0.028	0.004	-0.024	0.041	0.01	0.005	0.007	24901	32.2	10162	13.1
CAZA	-0.007	0.014	0.004	-0.007	0.012	0.003	-0.025	0.011	0.007	0.003	0.005	6794	8.8	3593	4.6
CEU1	-0.005	0.021	0.003	-0.031	0.003	0.004	-0.025	0.01	0.007	0.004	0.004	72486	93.8	17353	22.4
CRDB	-0.018	0.001	0.003	0.001	0.018	0.003	-0.015	0.022	0.006	0.003	0.004	40624	52.5	2297	3.0
HUEL	-0.012	0.016	0.004	-0.011	0.012	0.004	-0.036	0.028	0.01	0.003	0.005	9237	11.9	3945	5.1
LEBR	-0.035	0.029	0.007	-0.035	0.021	0.009	-0.059	0.06	0.025	0.006	0.015	33190	42.9	54725	70.8
MALA	-0.02	-0.0	0.004	-0.007	0.009	0.003	-0.027	0.008	0.008	0.003	0.005	50978	65.9	12999	16.8
MOFR	-0.014	0.014	0.004	0.004	0.022	0.003	-0.025	0.028	0.008	0.003	0.005	61518	79.6	11523	14.9
OSUN	-0.02	0.006	0.004	-0.005	0.022	0.004	-0.033	0.015	0.008	0.004	0.006	9977	12.9	10313	13.3
RON1	-0.011	0.009	0.003	-0.008	0.014	0.003	-0.029	0.017	0.009	0.002	0.006	2718	3.5	9958	12.9
SEV1	-0.018	0.003	0.003	-0.007	0.011	0.003	-0.047	0.012	0.01	0.003	0.008	9906	12.8	28774	37.2
TAR0	-0.007	0.014	0.004	-0.007	0.023	0.004	-0.044	0.06	0.012	0.003	0.007	56747	73.4	11898	15.4
UCA1	-0.012	0.019	0.004	-0.023	0.009	0.005	-0.042	0.005	0.008	0.005	0.008	12864	16.6	14284	18.5
Mean	-0.014	0.012	0.004	-0.011	0.016	0.004	-0.032	0.024	0.009	0.004	0.006	27897.5	36.1	13816.9	17.9
Min/Max	-0.035	0.029	0.007	-0.035	0.03	0.009	-0.059	0.06	0.025	0.006	0.015	72486	93.8	54725	70.8

fixing statistic for network NT13

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	88.8	95.1	94.2	96.0	72.2
considering satellites with dual-frequency fixed	89.1	91.8	91.2	92.6	76.1
considering all signals separately	89.5	91.9	91.2	92.9	74.9