

summary for network NT14

timeperiod chosen: from 2025-08-03-00:00:00 until 2025-08-03-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.3 seconds


average fixing percentage with threshold set to 0.3: 93.5 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: LEIAR10	NONE	receiver: LEICA GR30	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.004	0.021	0.004	-0.014	0.003	0.003	0.01	0.049	0.008	0.003	0.008	37857	59.0	56761	88.4
AIO2	-0.012	0.011	0.004	-0.015	0.008	0.004	-0.01	0.058	0.015	0.003	0.013	5673	8.8	35815	55.8
ALAC	-0.007	0.01	0.003	-0.014	0.004	0.003	0.005	0.044	0.009	0.002	0.009	1616	2.5	46743	72.8
ALCO	-0.015	0.01	0.004	-0.014	0.002	0.003	-0.001	0.047	0.01	0.003	0.01	6557	10.2	50842	79.2
BORR	-0.022	0.03	0.009	-0.021	0.03	0.008	-0.068	0.03	0.021	0.006	0.017	35104	54.7	51227	79.8
DENI	-0.008	0.03	0.006	-0.014	0.007	0.004	-0.007	0.06	0.011	0.004	0.01	20989	32.7	48509	75.5
IEJA	-0.017	0.004	0.004	-0.025	0.011	0.004	-0.011	0.048	0.012	0.004	0.011	12206	19.0	50729	79.0
PENI	-0.017	0.016	0.005	-0.028	0.013	0.004	-0.027	0.06	0.013	0.004	0.012	11925	18.6	48961	76.2
SARR	-0.015	0.028	0.005	-0.007	0.019	0.003	-0.034	0.05	0.014	0.004	0.011	7031	10.9	31946	49.7
TOR0	-0.007	0.013	0.004	-0.007	0.008	0.003	0.009	0.052	0.009	0.002	0.009	1250	1.9	54026	84.1
UTIE	-0.027	0.009	0.005	-0.022	0.005	0.005	-0.009	0.06	0.014	0.005	0.01	50395	78.5	51307	79.9
VALE	-0.015	0.021	0.005	-0.019	0.005	0.004	-0.003	0.06	0.013	0.004	0.012	34143	53.2	57374	89.3
VJOI	-0.017	0.011	0.005	-0.012	0.014	0.004	-0.0	0.06	0.013	0.004	0.013	6580	10.2	51260	79.8
Mean	-0.014	0.016	0.005	-0.016	0.01	0.004	-0.011	0.052	0.012	0.004	0.011	17794.3	27.7	48884.6	76.1
Min/Max	-0.027	0.03	0.009	-0.028	0.03	0.008	-0.068	0.06	0.021	0.006	0.017	50395	78.5	57374	89.3

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	93.5	94.3	92.7	96.1	90.5
considering satellites with dual-frequency fixed	88.3	89.6	86.8	91.6	84.5
considering all signals separately	88.4	89.5	86.8	91.8	83.7