

summary for network NT11

timeperiod chosen: from 2025-08-21-00:00:00 until 2025-08-21-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 92.7 percent

stations available: 9 of 9


station information:

station ALOR:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 189.527
station CBON:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 57.337
station EIVI:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 132.136
station FORM:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 99.597
station IBIZ:	antenna: TPSCR3_GGD	CONE	receiver: LEICA GR25	height: 59.957
station MALL:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 62.11
station SINE:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 188.036
station SJO1:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 59.879
station TRAU:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 606.096


Processing rate in network NT11




Histogram of the processing rate in network NT11 (durations larger 15 seconds neglected)




Network NT11 with threshold set to 0.3




Fixing percentage of satellites in network NT11 with threshold set to 0.3




Network NT11 - only GPS with threshold set to 0.3




Network NT11 - only GLONASS with threshold set to 0.3




Network NT11 - only BDS with threshold set to 0.3




Network NT11 - only Galileo with threshold set to 0.3




Station ALOR in network NT11




Station CBON in network NT11




Station EIVI in network NT11




Station FORM in network NT11




Station IBIZ in network NT11




Station MALL in network NT11




Station SINE in network NT11




Station SJO1 in network NT11




Station TRAU in network NT11




RefCheck for station ALOR in network NT11




RefCheck for station CBON in network NT11




RefCheck for station EIVI in network NT11




RefCheck for station FORM in network NT11




RefCheck for station IBIZ in network NT11




RefCheck for station MALL in network NT11




RefCheck for station SINE in network NT11



RefCheck for station SJO1 in network NT11



RefCheck for station TRAU in network NT11



RefCheck values for network NT11

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ALOR	-0.03	0.018	0.006	-0.019	0.013	0.005	-0.041	0.033	0.013	0.004	0.009	16172	20.1	16295	20.2
CBON	-0.043	0.031	0.007	-0.028	0.026	0.006	-0.043	0.058	0.014	0.006	0.01	22636	28.1	14431	17.9
EIVI	-0.017	0.027	0.007	-0.022	0.014	0.006	-0.042	0.051	0.015	0.006	0.011	33885	42.1	21929	27.2
FORM	-0.012	0.026	0.006	-0.022	0.01	0.006	-0.024	0.04	0.011	0.005	0.007	32164	39.9	15868	19.7
IBIZ	-0.019	0.019	0.006	-0.03	0.011	0.007	-0.032	0.044	0.013	0.006	0.009	32319	40.1	23336	29.0
MALL	-0.03	0.034	0.007	-0.012	0.012	0.004	-0.025	0.05	0.016	0.005	0.012	17150	21.3	25997	32.3
SINE	-0.03	0.022	0.006	-0.017	0.011	0.004	-0.002	0.049	0.01	0.005	0.01	11986	14.9	41067	51.0
SJO1	-0.013	0.018	0.004	-0.01	0.016	0.004	-0.013	0.035	0.009	0.003	0.007	6726	8.4	15009	18.6
TRAU	-0.053	0.024	0.006	-0.022	0.028	0.005	-0.05	0.019	0.012	0.005	0.009	15060	18.7	20004	24.8
Mean	-0.027	0.024	0.006	-0.02	0.016	0.005	-0.03	0.042	0.013	0.005	0.009	20899.8	26.0	21548.4	26.7
Min/Max	-0.053	0.034	0.007	-0.03	0.028	0.007	-0.05	0.058	0.016	0.006	0.012	33885	42.1	41067	51.0

fixing statistic for network NT11

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	92.7	93.8	92.9	95.7	88.7
considering satellites with dual-frequency fixed	86.3	87.3	86.9	90.1	81.5
considering all signals separately	86.5	87.3	86.9	90.1	80.6