

summary for network NT15

timeperiod chosen: from 2025-08-27-00:00:00 until 2025-08-27-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.2 seconds


average fixing percentage with threshold set to 0.3: 88.7 percent

stations available: 15 of 15


station information:

station ACIN:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1178.47
station AGRD:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1010.813
station AJAL:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 884.142
station ALC1:	antenna: TRM57971.00	TZGD	receiver: TRIMBLE NETR9	height: 397.68
station ALIA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1169.276
station ARAS:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1325.848
station BERG:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 892.808
station CALA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 942.231
station CATY:	antenna: GPPNULLANTENNA	NONE	receiver: TPS NET-G3	height: 597.734
station CRNA:	antenna: GPPNULLANTENNA	NONE	receiver: TPS NET-G3A	height: 649.433
station MOLI:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 1119.45
station MUNI:	antenna: GPPNULLANTENNA	NONE	receiver: TPS NET-G3	height: 854.946
station QNTO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 216.743
station TERU:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 956.227
station YEBE:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 972.816


Processing rate in network NT15




Histogram of the processing rate in network NT15 (durations larger 15 seconds neglected)




Network NT15 with threshold set to 0.3




Fixing percentage of satellites in network NT15 with threshold set to 0.3




Network NT15 - only GPS with threshold set to 0.3




Network NT15 - only GLONASS with threshold set to 0.3




Network NT15 - only BDS with threshold set to 0.3




Network NT15 - only Galileo with threshold set to 0.3




Station ACIN in network NT15




Station AGRD in network NT15




Station AJAL in network NT15




Station ALC1 in network NT15




Station ALIA in network NT15




Station ARAS in network NT15




Station BERG in network NT15




Station CALA in network NT15




Station CATY in network NT15




Station CRNA in network NT15




Station MOLI in network NT15




Station MUNI in network NT15




Station QNT0 in network NT15




Station TERU in network NT15




Station YEBE in network NT15




RefCheck for station ACIN in network NT15




RefCheck for station AGRD in network NT15




RefCheck for station AJAL in network NT15




RefCheck for station ALC1 in network NT15




RefCheck for station ALIA in network NT15




RefCheck for station ARAS in network NT15




RefCheck for station BERG in network NT15




RefCheck for station CALA in network NT15




RefCheck for station CATY in network NT15




RefCheck for station CRNA in network NT15




RefCheck for station MOLI in network NT15




RefCheck for station MUNI in network NT15




RefCheck for station QNT0 in network NT15



RefCheck for station TERU in network NT15



RefCheck for station YEBE in network NT15



RefCheck values for network NT15

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ACIN	-0.023	0.031	0.006	-0.021	0.022	0.005	-0.027	0.06	0.011	0.005	0.008	21379	28.9	10066	13.6
AGRD	-0.013	0.025	0.007	-0.021	0.031	0.007	-0.039	0.033	0.012	0.006	0.008	24165	32.7	18435	24.9
AJAL	-0.021	0.007	0.004	-0.018	0.01	0.004	-0.031	0.011	0.007	0.003	0.005	23004	31.1	3461	4.7
ALC1	-0.017	0.021	0.006	-0.014	0.026	0.006	-0.019	0.037	0.012	0.005	0.008	21335	28.8	12700	17.2
ALIA	-0.027	0.044	0.007	-0.048	0.033	0.007	-0.077	0.035	0.011	0.006	0.009	23716	32.1	14311	19.3
ARAS	-0.009	0.024	0.004	-0.025	0.005	0.004	-0.021	0.02	0.007	0.004	0.005	13939	18.8	3060	4.1
BERG	-0.05	0.032	0.007	-0.021	0.03	0.006	-0.03	0.043	0.011	0.005	0.008	18904	25.6	16401	22.2
CALA	-0.021	0.008	0.005	-0.016	0.026	0.006	-0.03	0.06	0.012	0.005	0.008	27236	36.8	16001	21.6
CATY	-0.024	0.026	0.009	-0.022	0.032	0.008	-0.033	0.029	0.011	0.006	0.007	37948	51.3	16108	21.8
CRNA	-0.03	0.028	0.01	-0.037	0.02	0.008	-0.032	0.045	0.013	0.006	0.008	42139	57.0	19309	26.1
MOLI	-0.028	0.017	0.006	-0.016	0.022	0.005	-0.038	0.029	0.01	0.005	0.006	42568	57.6	13833	18.7
MUNI	-0.018	0.022	0.006	-0.022	0.019	0.005	-0.026	0.02	0.009	0.004	0.005	18110	24.5	4916	6.6
QNT0	-0.018	0.03	0.006	-0.028	0.026	0.007	-0.041	0.041	0.011	0.006	0.008	27371	37.0	15911	21.5
TERU	-0.015	0.025	0.005	-0.022	0.027	0.007	-0.038	0.02	0.009	0.005	0.007	16836	22.8	9618	13.0
YEBE	-0.007	0.016	0.004	-0.017	0.018	0.005	-0.026	0.058	0.011	0.004	0.008	11809	16.0	5097	6.9
Mean	-0.021	0.024	0.006	-0.023	0.023	0.006	-0.034	0.036	0.01	0.005	0.007	24697.3	33.4	11948.5	16.1
Min/Max	-0.05	0.044	0.01	-0.048	0.033	0.008	-0.077	0.06	0.013	0.006	0.009	42568	57.6	19309	26.1

fixing statistic for network NT15

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	88.7	91.0	89.8	90.9	84.6
considering satellites with dual-frequency fixed	85.3	86.5	84.9	87.6	81.9
considering all signals separately	85.4	86.4	84.9	88.0	81.2