

summary for network NT14

timeperiod chosen: from 2025-08-29-00:00:00 until 2025-08-29-23:59:58

average update rate (durations larger than 15 seconds considered as observation gap): 1.3 seconds


average fixing percentage with threshold set to 0.3: 92.1 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: LEIAR10	NONE	receiver: LEICA GR30	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.002	0.018	0.004	-0.017	0.007	0.005	-0.014	0.057	0.014	0.004	0.012	31770	47.3	55812	83.1
AIO2	-0.025	0.015	0.005	-0.016	0.014	0.005	-0.009	0.054	0.013	0.004	0.012	11702	17.4	41117	61.2
ALAC	-0.014	0.011	0.004	-0.019	0.007	0.005	-0.012	0.06	0.014	0.004	0.011	14761	22.0	41845	62.3
ALCO	-0.013	0.013	0.004	-0.023	0.005	0.005	0.0	0.062	0.013	0.004	0.012	15037	22.4	51503	76.6
BORR	-0.018	0.028	0.007	-0.015	0.032	0.008	-0.066	0.061	0.029	0.007	0.017	31942	47.5	53144	79.1
DENI	-0.011	0.027	0.005	-0.017	0.015	0.005	-0.008	0.047	0.011	0.005	0.01	35712	53.1	41855	62.3
IEJA	-0.021	0.007	0.005	-0.017	0.02	0.006	-0.011	0.056	0.014	0.005	0.012	10774	16.0	43507	64.7
PENI	-0.028	0.03	0.008	-0.027	0.027	0.009	-0.037	0.065	0.017	0.006	0.012	32215	47.9	56352	83.9
SARR	-0.009	0.013	0.005	-0.01	0.017	0.004	-0.015	0.046	0.013	0.003	0.011	20200	30.1	39563	58.9
TOR0	-0.011	0.013	0.004	-0.017	0.017	0.005	-0.029	0.06	0.018	0.003	0.014	9298	13.8	49900	74.3
UTIE	-0.018	0.005	0.004	-0.03	0.007	0.004	-0.045	0.047	0.016	0.004	0.01	38384	57.1	41854	62.3
VALE	-0.01	0.015	0.005	-0.025	0.002	0.005	0.004	0.056	0.012	0.005	0.011	22370	33.3	54649	81.3
VJOI	-0.02	0.013	0.005	-0.009	0.027	0.006	-0.002	0.059	0.014	0.005	0.013	17259	25.7	44273	65.9
Mean	-0.015	0.016	0.005	-0.019	0.015	0.006	-0.019	0.056	0.015	0.005	0.012	22417.2	33.4	47336.5	70.5
Min/Max	-0.028	0.03	0.008	-0.03	0.032	0.009	-0.066	0.065	0.029	0.007	0.017	38384	57.1	56352	83.9

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	92.1	92.7	90.7	94.6	90.2
considering satellites with dual-frequency fixed	88.4	89.1	86.8	91.0	86.1
considering all signals separately	88.5	89.2	86.9	91.2	85.0