

summary for network NET5

timeperiod chosen: from 2025-09-04-00:00:00 until 2025-09-04-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.4 seconds


average fixing percentage with threshold set to 0.3: 93.2 percent

stations available: 14 of 14


station information:

station ARDU:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 844.466
station BUOS:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 963.896
station BURG:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 939.518
station CALH:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 411.39
station CAS0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 564.198
station CERV:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 723.317
station ELCI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 525.694
station LOSA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 510.244
station QINT:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 1191.829
station RIO1:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR50	height: 450.426
station SANR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 361.499
station SORI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1135.68
station SROM:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1150.486
station VTRO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1626.177


Processing rate in network NET5




Histogram of the processing rate in network NET5 (durations larger 15 seconds neglected)




Network NET5 with threshold set to 0.3




Fixing percentage of satellites in network NET5 with threshold set to 0.3




Network NET5 - only GPS with threshold set to 0.3




Network NET5 - only GLONASS with threshold set to 0.3




Network NET5 - only BDS with threshold set to 0.3



Network NET5 - only Galileo with threshold set to 0.3




Station ARDU in network NET5




Station BUOS in network NET5




Station BURG in network NET5




Station CALH in network NET5



Station CAS0 in network NET5




Station CERV in network NET5



Station ELCI in network NET5




Station LOSA in network NET5




Station QINT in network NET5



Station RIO1 in network NET5




Station SANR in network NET5




Station SORI in network NET5




Station SROM in network NET5




Station VTRO in network NET5




RefCheck for station ARDU in network NET5




RefCheck for station BUOS in network NET5




RefCheck for station BURG in network NET5




RefCheck for station CALH in network NET5




RefCheck for station CAS0 in network NET5




RefCheck for station CERV in network NET5




RefCheck for station ELCI in network NET5




RefCheck for station LOSA in network NET5




RefCheck for station QINT in network NET5




RefCheck for station RIO1 in network NET5




RefCheck for station SANR in network NET5




RefCheck for station SORI in network NET5



RefCheck for station SROM in network NET5



RefCheck for station VTRO in network NET5



RefCheck values for network NET5

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ARDU	-0.004	0.01	0.003	-0.014	0.004	0.003	-0.02	0.024	0.008	0.003	0.005	5194	8.8	1986	3.4
BUOS	-0.007	0.013	0.003	-0.011	0.012	0.004	-0.018	0.043	0.01	0.003	0.007	3722	6.3	4363	7.4
BURG	-0.005	0.013	0.003	-0.017	0.005	0.003	-0.022	0.022	0.008	0.003	0.004	6726	11.4	2443	4.1
CALH	-0.009	0.014	0.004	-0.017	0.009	0.004	-0.025	0.03	0.01	0.003	0.006	4106	6.9	6203	10.5
CAS0	-0.023	0.027	0.006	-0.015	0.018	0.005	-0.048	0.026	0.011	0.004	0.008	7942	18.3	6557	15.1
CERV	-0.021	0.007	0.004	-0.025	0.002	0.005	-0.029	0.006	0.007	0.004	0.006	53364	90.1	20601	34.8
ELCI	-0.009	0.011	0.003	-0.011	0.01	0.004	-0.041	0.011	0.009	0.003	0.008	2256	3.8	6870	11.6
LOSA	-0.008	0.014	0.004	-0.01	0.014	0.004	-0.016	0.032	0.009	0.003	0.005	7576	12.8	2616	4.4
QINT	-0.013	0.005	0.002	-0.006	0.01	0.003	-0.015	0.018	0.006	0.002	0.004	65	0.1	0	0.0
RIO1	-0.009	0.019	0.004	-0.026	0.03	0.007	-0.036	0.016	0.008	0.005	0.006	8112	13.7	3798	6.4
SANR	-0.009	0.01	0.003	-0.007	0.019	0.004	-0.023	0.047	0.011	0.003	0.007	14316	24.2	4053	6.8
SORI	-0.01	0.01	0.003	-0.009	0.008	0.003	-0.018	0.015	0.006	0.002	0.003	494	0.8	0	0.0
SROM	-0.008	0.013	0.003	-0.014	0.029	0.006	-0.017	0.047	0.01	0.004	0.008	8854	14.9	7025	11.9
VTRO	-0.009	0.012	0.004	-0.014	0.018	0.005	-0.027	0.045	0.011	0.003	0.008	4698	7.9	9710	16.4
Mean	-0.01	0.013	0.004	-0.014	0.013	0.004	-0.025	0.027	0.009	0.003	0.006	9101.8	15.7	5444.6	9.5
Min/Max	-0.023	0.027	0.006	-0.026	0.03	0.007	-0.048	0.047	0.011	0.005	0.008	53364	90.1	20601	34.8

fixing statistic for network NET5

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	93.2	94.0	93.1	95.4	90.4
considering satellites with dual-frequency fixed	88.8	89.7	87.0	91.4	86.4
considering all signals separately	88.9	89.8	87.0	91.6	85.3