

summary for network NT12

timeperiod chosen: from 2025-10-20-00:00:00 until 2025-10-20-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.3 seconds


average fixing percentage with threshold set to 0.3: 91.3 percent

stations available: 15 of 15


station information:

station ALME:	antenna: TRM29659.00	NONE	receiver: TRIMBLE NETR9	height: 130.543
station CAAL:	antenna: LEIAR10	NONE	receiver: LEICA GR25	height: 2210.774
station CABP:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 57.436
station CARG:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 57.381
station CARV:	antenna: LEIAR25	LEIT	receiver: LEICA GR50	height: 902.41
station CDCR:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 1331.71
station CIEZ:	antenna: LEIAT504GG	LEIS	receiver: LEICA GR30	height: 328.356
station GRA1:	antenna: LEIAT504	LEIS	receiver: LEICA GR50	height: 823.255
station HUOV:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 352.192
station MAZA:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 105.111
station MUL1:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 332.101
station MURC:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 125.201
station PALC:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 916.939
station UJAE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 527.754
station VICA:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 852.502


Processing rate in network NT12




Histogram of the processing rate in network NT12 (durations larger 15 seconds neglected)




Network NT12 with threshold set to 0.3




Fixing percentage of satellites in network NT12 with threshold set to 0.3




Network NT12 - only GPS with threshold set to 0.3




Network NT12 - only GLONASS with threshold set to 0.3




Network NT12 - only BDS with threshold set to 0.3




Network NT12 - only Galileo with threshold set to 0.3




Station ALME in network NT12




Station CAAL in network NT12




Station CABP in network NT12




Station CARG in network NT12




Station CARV in network NT12




Station CDCR in network NT12




Station CIEZ in network NT12




Station GRA1 in network NT12




Station HUOV in network NT12




Station MAZA in network NT12




Station MUL1 in network NT12




Station MURC in network NT12




Station PALC in network NT12




Station UJAE in network NT12




Station VICA in network NT12




RefCheck for station ALME in network NT12




RefCheck for station CAAL in network NT12




RefCheck for station CABP in network NT12




RefCheck for station CARG in network NT12




RefCheck for station CARV in network NT12




RefCheck for station CDCR in network NT12




RefCheck for station CIEZ in network NT12




RefCheck for station GRA1 in network NT12




RefCheck for station HUOV in network NT12




RefCheck for station MAZA in network NT12




RefCheck for station MUL1 in network NT12




RefCheck for station MURC in network NT12




RefCheck for station PALC in network NT12



RefCheck for station UJAE in network NT12



RefCheck for station VICA in network NT12



RefCheck values for network NT12

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ALME	-0.03	0.011	0.004	-0.025	0.003	0.004	-0.028	0.013	0.007	0.004	0.005	34103	52.5	6370	9.8
CAAL	-0.006	0.016	0.004	-0.02	0.019	0.005	-0.022	0.038	0.011	0.004	0.007	10288	15.8	6240	9.6
CABP	-0.011	0.015	0.004	-0.009	0.018	0.004	-0.021	0.023	0.008	0.004	0.005	14189	21.8	3463	5.3
CARG	-0.001	0.03	0.005	-0.02	0.003	0.004	-0.029	0.011	0.008	0.005	0.006	57064	87.8	23941	36.8
CARV	-0.02	0.018	0.006	-0.022	0.02	0.007	-0.037	0.041	0.013	0.004	0.007	29905	46.0	14813	22.8
CDCR	-0.016	0.01	0.004	-0.005	0.022	0.005	-0.015	0.032	0.008	0.004	0.006	34777	53.5	18731	28.8
CIEZ	-0.013	0.022	0.006	-0.028	0.017	0.006	-0.018	0.025	0.008	0.005	0.005	23685	36.4	6504	10.0
GRA1	-0.025	0.007	0.004	-0.027	0.026	0.006	-0.018	0.058	0.011	0.004	0.008	32623	50.2	6159	9.5
HUOV	-0.028	0.015	0.007	-0.023	0.015	0.006	-0.057	0.059	0.017	0.005	0.011	14513	22.3	18712	28.8
MAZA	-0.012	0.02	0.005	-0.001	0.017	0.004	-0.027	0.022	0.008	0.004	0.005	20042	30.8	2948	4.5
MUL1	-0.014	0.009	0.003	-0.018	0.028	0.005	-0.01	0.038	0.008	0.005	0.007	17242	26.5	16694	25.7
MURC	-0.007	0.009	0.003	-0.005	0.015	0.004	-0.015	0.025	0.007	0.003	0.006	14278	22.0	5830	9.0
PALC	-0.015	0.006	0.004	-0.01	0.016	0.004	-0.037	0.024	0.012	0.004	0.007	6972	10.7	15959	24.6
UJAE	-0.011	0.005	0.003	-0.029	0.011	0.005	-0.023	0.026	0.01	0.004	0.006	23489	36.1	10149	15.6
VICA	-0.012	0.022	0.003	-0.023	0.003	0.004	-0.047	0.011	0.009	0.003	0.007	27693	42.6	10971	16.9
Mean	-0.015	0.014	0.004	-0.018	0.016	0.005	-0.027	0.03	0.01	0.004	0.007	24057.5	37.0	11165.6	17.2
Min/Max	-0.03	0.03	0.007	-0.029	0.028	0.007	-0.057	0.059	0.017	0.005	0.011	57064	87.8	23941	36.8

fixing statistic for network NT12

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	91.3	93.0	89.2	93.1	89.9
considering satellites with dual-frequency fixed	88.7	90.1	85.3	90.7	87.4
considering all signals separately	88.9	90.1	85.3	91.1	86.7