

summary for network NT14

timeperiod chosen: from 2025-10-22-00:00:00 until 2025-10-22-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 85.7 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOL:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.013	0.039	0.008	-0.028	0.033	0.008	-0.06	0.055	0.02	0.006	0.011	48424	64.3	56692	75.3
AIO2	-0.026	0.017	0.007	-0.028	0.018	0.007	-0.036	0.049	0.017	0.005	0.009	38521	51.2	26353	35.0
ALAC	-0.041	0.028	0.009	-0.026	0.065	0.011	-0.092	0.044	0.014	0.007	0.01	38261	50.8	29890	39.7
ALCO	-0.027	0.018	0.008	-0.031	0.026	0.009	-0.031	0.06	0.02	0.006	0.012	38167	50.7	41246	54.8
BORR	-0.014	0.025	0.007	-0.033	0.031	0.01	-0.061	0.06	0.02	0.006	0.012	38428	51.1	41786	55.5
DENI	-0.028	0.027	0.008	-0.022	0.03	0.009	-0.044	0.038	0.016	0.006	0.009	49447	65.7	34445	45.8
IEJA	-0.018	0.03	0.006	-0.031	0.033	0.008	-0.048	0.054	0.016	0.006	0.011	27930	37.1	24218	32.2
PENI	-0.022	0.024	0.008	-0.029	0.023	0.01	-0.038	0.039	0.014	0.006	0.008	48125	63.9	23909	31.8
SARR	-0.017	0.017	0.005	-0.023	0.031	0.009	-0.06	0.037	0.015	0.006	0.009	36794	48.9	24933	33.1
TOR0	-0.02	0.023	0.008	-0.015	0.018	0.007	-0.06	0.044	0.019	0.005	0.012	34693	46.1	28582	38.0
UTIE	-0.029	0.007	0.006	-0.03	0.027	0.009	-0.041	0.037	0.014	0.006	0.008	57150	75.9	38166	50.7
VALE	-0.013	0.02	0.005	-0.021	0.028	0.009	-0.037	0.063	0.015	0.005	0.01	29455	39.1	19034	25.3
VJOI	-0.032	0.026	0.009	-0.03	0.036	0.011	-0.045	0.063	0.022	0.007	0.013	46945	62.4	49303	65.5
Mean	-0.023	0.023	0.007	-0.027	0.031	0.009	-0.05	0.049	0.017	0.006	0.01	40949.2	54.4	33735.2	44.8
Min/Max	-0.041	0.039	0.009	-0.033	0.065	0.011	-0.092	0.063	0.022	0.007	0.013	57150	75.9	56692	75.3

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	85.7	88.7	84.6	90.1	79.3
considering satellites with dual-frequency fixed	77.4	80.8	74.1	82.8	70.5
considering all signals separately	77.8	80.9	74.1	83.1	68.7