

summary for network NT14

timeperiod chosen: from 2025-10-24-00:00:00 until 2025-10-24-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 91.6 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.0	0.025	0.004	-0.018	0.01	0.006	-0.022	0.042	0.012	0.004	0.009	49978	66.0	45257	59.7
AIO2	-0.015	0.01	0.004	-0.014	0.015	0.005	-0.016	0.04	0.011	0.003	0.008	9382	12.4	17075	22.5
ALAC	-0.01	0.011	0.004	-0.013	0.02	0.006	-0.021	0.029	0.009	0.004	0.006	14052	18.5	6960	9.2
ALCO	-0.018	0.014	0.005	-0.017	0.017	0.006	-0.021	0.042	0.013	0.004	0.008	13859	18.3	18093	23.9
BORR	-0.012	0.019	0.004	-0.01	0.018	0.005	-0.044	0.014	0.01	0.004	0.007	12105	16.0	14019	18.5
DENI	-0.013	0.025	0.006	-0.029	0.015	0.006	-0.06	0.027	0.014	0.005	0.009	33373	44.1	13515	17.8
IEJA	-0.027	0.013	0.006	-0.027	0.01	0.005	-0.046	0.069	0.015	0.005	0.011	18322	24.2	30277	40.0
PENI	-0.016	0.004	0.003	-0.017	0.013	0.005	-0.035	0.031	0.012	0.004	0.007	15249	20.1	10976	14.5
SARR	-0.018	0.023	0.005	-0.023	0.033	0.008	-0.06	0.033	0.015	0.007	0.01	41103	54.3	32836	43.3
TOR0	-0.013	0.017	0.005	-0.012	0.02	0.006	-0.046	0.038	0.011	0.004	0.006	15234	20.1	8918	11.8
UTIE	-0.024	0.001	0.005	-0.021	0.017	0.008	-0.032	0.033	0.01	0.005	0.006	54183	71.5	20643	27.2
VALE	-0.007	0.011	0.003	-0.017	0.008	0.006	-0.027	0.028	0.009	0.004	0.005	20578	27.2	6911	9.1
VJOI	-0.018	0.02	0.007	-0.015	0.029	0.007	-0.025	0.037	0.015	0.005	0.007	25618	33.8	35092	46.3
Mean	-0.015	0.015	0.005	-0.018	0.017	0.006	-0.035	0.036	0.012	0.004	0.008	24848.9	32.8	20044.0	26.4
Min/Max	-0.027	0.025	0.007	-0.029	0.033	0.008	-0.06	0.069	0.015	0.007	0.011	54183	71.5	45257	59.7

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	91.6	92.9	90.4	94.1	88.8
considering satellites with dual-frequency fixed	87.6	89.9	85.1	90.3	83.6
considering all signals separately	87.9	90.1	85.1	90.7	82.5