

summary for network NET2

timeperiod chosen: from 2025-12-18-00:00:00 until 2025-12-18-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.3 seconds


average fixing percentage with threshold set to 0.3: 94.7 percent

stations available: 17 of 17


station information:

station BADI:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE NETR9	height: 250.011
station BEJR:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 1095.149
station CACE:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 436.561
station CATU:	antenna: TPSCR.G5	TPSH	receiver: TPS NET-G5	height: 538.708
station CORI:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 298.518
station HERR:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 478.962
station JERE:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 502.048
station LLER:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 697.642
station MEDA:	antenna: TPSCR.G5	TPSH	receiver: TPS NET-G5	height: 289.946
station NAVA:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 351.596
station ONOR:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 849.379
station POZO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 736.051
station SPAB:	antenna: TPSCR.G5	TPSH	receiver: LEICA GR50	height: 1006.147
station TALR:	antenna: TRM57971.00	TZGD	receiver: TRIMBLE NETR9	height: 498.986
station TRUJ:	antenna: TPSCR.G5	TPSH	receiver: TPS NET-G5	height: 555.572
station VALC:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE NETR9	height: 529.983
station ZFRA:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR25	height: 587.49


Processing rate in network NET2




Histogram of the processing rate in network NET2 (durations larger 15 seconds neglected)




Network NET2 with threshold set to 0.3




Fixing percentage of satellites in network NET2 with threshold set to 0.3




Network NET2 - only GPS with threshold set to 0.3




Network NET2 - only GLONASS with threshold set to 0.3




Network NET2 - only BDS with threshold set to 0.3




Network NET2 - only Galileo with threshold set to 0.3




Station BADJ in network NET2




Station BEJR in network NET2




Station CACE in network NET2




Station CATU in network NET2




Station CORI in network NET2




Station HERR in network NET2




Station JERE in network NET2




Station LLER in network NET2




Station MEDA in network NET2




Station NAVA in network NET2




Station ONOR in network NET2




Station POZO in network NET2




Station SPAB in network NET2




Station TALR in network NET2




Station TRUJ in network NET2




Station VALC in network NET2




Station ZFRA in network NET2




RefCheck for station BADJ in network NET2




RefCheck for station BEJR in network NET2




RefCheck for station CACE in network NET2




RefCheck for station CATU in network NET2




RefCheck for station CORI in network NET2




RefCheck for station HERR in network NET2




RefCheck for station JERE in network NET2




RefCheck for station LLER in network NET2




RefCheck for station MEDA in network NET2




RefCheck for station NAVA in network NET2




RefCheck for station ONOR in network NET2




RefCheck for station POZO in network NET2




RefCheck for station SPAB in network NET2




RefCheck for station TALR in network NET2




RefCheck for station TRUJ in network NET2



RefCheck for station VALC in network NET2



RefCheck for station ZFRA in network NET2



RefCheck values for network NET2

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
BADJ	-0.004	0.006	0.002	-0.012	0.002	0.002	-0.06	0.011	0.013	0.002	0.013	1603	2.4	41912	63.9
BEJR	-0.008	0.014	0.004	-0.018	0.031	0.004	-0.06	0.017	0.016	0.005	0.014	20780	31.7	43138	65.8
CACE	-0.013	0.01	0.003	-0.018	0.017	0.004	-0.045	0.022	0.011	0.003	0.008	5929	9.0	32481	49.5
CATU	-0.026	0.023	0.006	-0.032	0.026	0.009	-0.03	0.062	0.02	0.007	0.016	21271	32.4	56274	85.8
CORI	-0.007	0.004	0.002	-0.011	0.005	0.002	-0.03	0.009	0.01	0.002	0.008	392	0.6	25149	38.3
HERR	-0.001	0.013	0.002	-0.013	0.0	0.002	-0.037	0.005	0.011	0.003	0.009	23578	35.9	39483	60.2
JERE	-0.003	0.009	0.002	-0.01	0.005	0.003	-0.046	0.01	0.014	0.002	0.012	254	0.4	42934	65.5
LLER	-0.004	0.01	0.002	-0.013	0.006	0.003	-0.043	0.014	0.013	0.002	0.01	720	1.1	39467	60.2
MEDA	-0.005	0.01	0.002	-0.01	0.005	0.002	-0.047	0.011	0.016	0.002	0.014	715	1.1	42083	64.2
NAVA	0.0	0.014	0.002	-0.01	0.002	0.002	-0.04	0.005	0.011	0.002	0.01	22915	34.9	37758	57.6
ONOR	-0.017	0.004	0.003	-0.001	0.015	0.003	-0.043	0.018	0.011	0.003	0.008	16221	24.7	35275	53.8
POZO	-0.006	0.004	0.002	-0.009	0.005	0.002	-0.044	0.004	0.013	0.002	0.013	0	0.0	47155	71.9
SPAB	-0.022	0.0	0.004	-0.002	0.01	0.002	-0.048	0.003	0.012	0.003	0.01	26641	40.6	51563	78.6
TALR	-0.014	0.004	0.003	-0.0	0.017	0.003	-0.043	0.015	0.015	0.003	0.009	44501	67.8	43727	66.7
TRUJ	-0.007	0.007	0.002	-0.011	0.009	0.002	-0.05	0.007	0.014	0.002	0.013	292	0.4	40903	62.4
VALC	-0.01	0.003	0.002	-0.009	0.009	0.003	-0.048	0.005	0.013	0.002	0.012	356	0.5	40158	61.2
ZFRA	-0.007	0.01	0.003	-0.011	0.006	0.003	-0.045	0.014	0.014	0.002	0.013	649	1.0	44255	67.5
Mean	-0.009	0.009	0.003	-0.011	0.01	0.003	-0.045	0.014	0.013	0.003	0.011	10989.2	16.7	41395.0	63.1
Min/Max	-0.026	0.023	0.006	-0.032	0.031	0.009	-0.06	0.062	0.02	0.007	0.016	44501	67.8	56274	85.8

fixing statistic for network NET2

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	94.7	95.8	93.3	95.7	93.2
considering satellites with dual-frequency fixed	91.9	93.4	87.2	93.5	91.4
considering all signals separately	91.8	93.5	87.2	93.7	88.9