

summary for network N01T

timeperiod chosen: from 2025-03-20-00:00:00 until 2025-03-20-23:59:57

average update rate (durations larger than 15 seconds considered as observation gap): 2.3 seconds


average fixing percentage with threshold set to 0.3: 92.2 percent

stations available: 15 of 15


station information:

station AJAL:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 884.142
station ARAJ:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 580.921
station ARSP:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 638.139
station AVI2:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 1206.515
station BUIT:	antenna: TRM57971.00 TZGD	receiver: TRIMBLE NETR9	height: 1032.705
station IGNE:	antenna: LEIAT504GG LEIS	receiver: LEICA GR50	height: 766.956
station OLM1:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 829.129
station MAD1:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 724.483
station ORUS:	antenna: TRM57971.00 TZGD	receiver: TRIMBLE NETR9	height: 862.752
station PEN1:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 814.558
station RIA1:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 1263.778
station SGVA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1076.312
station SMDV:	antenna: TPSCR.G3 TPSH	receiver: TPS NET-G5	height: 670.791
station TALV:	antenna: TPSCR.G5 TPSH	receiver: TPS NET-G5	height: 458.35
station YEB1:	antenna: LEIAR25 NONE	receiver: LEICA GR25	height: 975.396


Processing rate in network N01T




Histogram of the processing rate in network N01T (durations larger 15 seconds neglected)




Network N01T with threshold set to 0.3




Fixing percentage of satellites in network N01T with threshold set to 0.3




Network N01T - only GPS with threshold set to 0.3




Network N01T - only GLONASS with threshold set to 0.3




Network N01T - only BDS with threshold set to 0.3




Network N01T - only Galileo with threshold set to 0.3




Station AJAL in network N01T



Station ARAJ in network N01T




Station ARSP in network N01T




Station AVI2 in network N01T



Station BUIT in network N01T




Station IGNE in network N01T




Station OLM1 in network N01T




Station MAD1 in network N01T




Station ORUS in network N01T




Station PEN1 in network N01T




Station RIA1 in network N01T




Station SGVA in network N01T




Station SMDV in network N01T




Station TALV in network N01T




Station YEB1 in network N01T




RefCheck for station AJAL in network N01T




RefCheck for station ARAJ in network N01T




RefCheck for station ARSP in network N01T




RefCheck for station AVI2 in network N01T




RefCheck for station BUIT in network N01T




RefCheck for station IGNE in network N01T




RefCheck for station OLM1 in network N01T




RefCheck for station MAD1 in network N01T




RefCheck for station ORUS in network N01T




RefCheck for station PEN1 in network N01T




RefCheck for station RIA1 in network N01T




RefCheck for station SGVA in network N01T




RefCheck for station SMDV in network N01T



RefCheck for station TALV in network N01T



RefCheck for station YEB1 in network N01T



RefCheck values for network N01T

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
AJAL	-0.019	-0.001	0.003	-0.011	0.011	0.004	-0.016	0.016	0.007	0.003	0.004	17498	45.9	648	1.7
ARAJ	-0.011	0.007	0.003	-0.013	0.014	0.004	-0.018	0.031	0.008	0.003	0.006	2870	7.5	2381	6.3
ARSP	-0.016	0.011	0.004	-0.025	0.009	0.005	-0.029	0.011	0.008	0.004	0.006	5925	15.6	3039	8.0
AVI2	-0.03	0.011	0.007	-0.031	0.007	0.006	-0.03	0.023	0.011	0.006	0.008	19384	50.9	9691	25.4
BUIT	-0.012	0.013	0.005	-0.019	0.018	0.005	-0.064	0.028	0.014	0.003	0.009	16994	44.6	5119	13.4
IGNE	-0.012	0.008	0.003	-0.009	0.011	0.003	-0.009	0.017	0.005	0.002	0.004	1110	2.9	0	0.0
OLM1	-0.017	0.016	0.005	-0.026	0.011	0.005	-0.015	0.02	0.007	0.004	0.004	8687	22.8	757	2.0
MAD1	-0.01	0.01	0.004	-0.008	0.012	0.003	-0.013	0.019	0.006	0.002	0.004	969	2.5	32	0.1
ORUS	-0.011	0.011	0.003	-0.005	0.014	0.003	-0.013	0.026	0.009	0.003	0.005	9221	24.2	5388	14.1
PEN1	-0.012	0.011	0.004	-0.003	0.017	0.004	-0.019	0.009	0.005	0.003	0.004	6849	18.0	218	0.6
RIA1	-0.029	0.028	0.009	-0.023	0.025	0.008	-0.037	0.015	0.011	0.007	0.008	21102	55.4	13108	34.4
SGVA	-0.017	0.012	0.005	-0.012	0.007	0.003	-0.029	0.016	0.011	0.003	0.006	5937	15.6	4409	11.6
SMDV	-0.012	0.01	0.004	-0.007	0.013	0.003	-0.028	0.007	0.007	0.003	0.005	969	2.5	2257	5.9
TALV	-0.008	0.018	0.005	-0.026	0.002	0.004	-0.021	0.025	0.01	0.004	0.005	34895	91.6	11938	31.3
YEB1	-0.008	0.005	0.003	-0.013	0.006	0.003	-0.012	0.02	0.007	0.002	0.004	696	1.8	365	1.0
Mean	-0.015	0.011	0.004	-0.015	0.012	0.004	-0.024	0.019	0.008	0.003	0.005	10207.1	26.8	3956.7	10.4
Min/Max	-0.03	0.028	0.009	-0.031	0.025	0.008	-0.064	0.031	0.014	0.007	0.009	34895	91.6	13108	34.4

fixing statistic for network N01T

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	92.2	93.8	93.3	94.1	88.0
considering satellites with dual-frequency fixed	89.9	91.0	89.2	91.3	87.0
considering all signals separately	90.0	91.2	89.3	91.4	86.1