

summary for network N15T

timeperiod chosen: from 2026-08-11-00:00:00 until 2026-08-11-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.5 seconds


average fixing percentage with threshold set to 0.3: 93.5 percent

stations available: 15 of 15


station information:

station ACIN:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1178.467
station AGRD:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1010.817
station AJAL:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 884.142
station ALC1:	antenna: TRM57971.00	TZGD	receiver: TRIMBLE NETR9	height: 397.678
station ALIA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1169.271
station ARAS:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1325.84
station BERG:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 892.809
station CALA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 942.218
station CATY:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 597.715
station CRNA:	antenna: GPPNULLANTENNA	NONE	receiver: TPS NET-G3A	height: 649.422
station MOLI:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 1119.434
station MUNI:	antenna: GPPNULLANTENNA	NONE	receiver: TPS NET-G3	height: 854.935
station QNTO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 216.734
station TERU:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 956.219
station YEBE:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 972.811


Processing rate in network N15T




Histogram of the processing rate in network N15T (durations larger 15 seconds neglected)




Network N15T with threshold set to 0.3




Fixing percentage of satellites in network N15T with threshold set to 0.3




Network N15T - only GPS with threshold set to 0.3




Network N15T - only GLONASS with threshold set to 0.3




Network N15T - only BDS with threshold set to 0.3




Network N15T - only Galileo with threshold set to 0.3




Station ACIN in network N15T




Station AGRD in network N15T




Station AJAL in network N15T




Station ALC1 in network N15T




Station ALIA in network N15T




Station ARAS in network N15T




Station BERG in network N15T




Station CALA in network N15T




Station CATY in network N15T




Station CRNA in network N15T




Station MOLI in network N15T




Station MUNI in network N15T




Station QNT0 in network N15T




Station TERU in network N15T




Station YEBE in network N15T




RefCheck for station ACIN in network N15T




RefCheck for station AGRD in network N15T




RefCheck for station AJAL in network N15T




RefCheck for station ALC1 in network N15T




RefCheck for station ALIA in network N15T




RefCheck for station ARAS in network N15T




RefCheck for station BERG in network N15T




RefCheck for station CALA in network N15T




RefCheck for station CATY in network N15T




RefCheck for station CRNA in network N15T




RefCheck for station MOLI in network N15T




RefCheck for station MUNI in network N15T




RefCheck for station QNT0 in network N15T



RefCheck for station TERU in network N15T



RefCheck for station YEBE in network N15T



RefCheck values for network N15T

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ACIN	-0.012	0.014	0.004	-0.013	0.013	0.004	-0.03	0.049	0.012	0.003	0.008	3784	6.8	7034	12.6
AGRD	-0.026	0.014	0.006	-0.017	0.029	0.004	-0.033	0.021	0.009	0.004	0.007	8467	15.1	10471	18.7
AJAL	-0.011	0.009	0.003	-0.007	0.019	0.004	-0.029	0.011	0.008	0.003	0.005	2880	5.1	4699	8.4
ALC1	-0.021	0.028	0.005	-0.032	0.016	0.006	-0.031	0.034	0.01	0.005	0.006	10325	18.4	6416	11.4
ALIA	-0.008	0.015	0.007	-0.01	0.005	0.004	-0.01	0.018	0.007	0.006	0.007	31381	56.0	30659	54.7
ARAS	-0.01	0.013	0.004	-0.01	0.01	0.004	-0.032	0.018	0.009	0.003	0.006	2288	4.1	8361	14.9
BERG	-0.023	0.013	0.006	-0.015	0.024	0.006	-0.037	0.037	0.013	0.005	0.009	18525	33.1	12709	22.7
CALA	-0.007	0.011	0.003	-0.011	0.015	0.003	-0.017	0.029	0.008	0.003	0.005	1786	3.2	1302	2.3
CATY	-0.014	0.017	0.006	-0.008	0.015	0.004	-0.044	0.016	0.01	0.004	0.008	9832	17.5	5319	9.5
CRNA	-0.034	0.009	0.005	-0.026	0.015	0.005	-0.037	0.06	0.01	0.003	0.007	6292	11.2	3009	5.4
MOLI	-0.011	0.016	0.005	-0.022	0.016	0.005	-0.012	0.037	0.01	0.004	0.008	10709	19.1	9178	16.4
MUNI	-0.015	0.013	0.005	-0.017	0.026	0.005	-0.029	0.022	0.01	0.004	0.006	5085	9.1	5820	10.4
QNT0	-0.012	0.011	0.004	-0.017	0.012	0.004	-0.026	0.021	0.009	0.003	0.005	3768	6.7	1375	2.5
TERU	-0.01	0.028	0.004	-0.026	0.014	0.005	-0.032	0.02	0.01	0.004	0.007	6379	11.4	7386	13.2
YEBE	-0.01	0.013	0.003	-0.01	0.016	0.004	-0.013	0.029	0.007	0.003	0.005	2524	4.5	2405	4.3
Mean	-0.015	0.015	0.005	-0.016	0.016	0.004	-0.027	0.028	0.009	0.004	0.007	8268.3	14.8	7742.9	13.8
Min/Max	-0.034	0.028	0.007	-0.032	0.029	0.006	-0.044	0.06	0.013	0.006	0.009	31381	56.0	30659	54.7

fixing statistic for network N15T

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	93.5	94.7	93.3	95.5	90.1
considering satellites with dual-frequency fixed	92.3	92.5	91.7	93.9	90.2
considering all signals separately	92.5	92.4	91.7	94.4	89.3