

summary for network NET2

timeperiod chosen: from 2026-08-15-00:00:00 until 2026-08-15-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.3 seconds


average fixing percentage with threshold set to 0.3: 93.5 percent

stations available: 17 of 17


station information:

station BADI:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE NETR9	height: 250.001
station BEJR:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 1095.131
station CACE:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 436.555
station CATU:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 538.726
station CORI:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 298.517
station HERR:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 478.961
station JERE:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 502.044
station LLER:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 697.642
station MEDA:	antenna: TPSCR.G5	TPSH	receiver: TPS NET-G5	height: 289.938
station NAVA:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 351.591
station ONOR:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 849.376
station POZO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 736.049
station SPAB:	antenna: TPSCR.G5	TPSH	receiver: LEICA GR50	height: 1006.14
station TALR:	antenna: TRM57971.00	TZGD	receiver: TRIMBLE NETR9	height: 498.984
station TRUJ:	antenna: TPSCR.G5	TPSH	receiver: TPS NET-G5	height: 555.566
station VALC:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE NETR9	height: 529.974
station ZFRA:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR25	height: 587.476


Processing rate in network NET2




Histogram of the processing rate in network NET2 (durations larger 15 seconds neglected)




Network NET2 with threshold set to 0.3




Fixing percentage of satellites in network NET2 with threshold set to 0.3




Network NET2 - only GPS with threshold set to 0.3




Network NET2 - only GLONASS with threshold set to 0.3




Network NET2 - only BDS with threshold set to 0.3




Network NET2 - only Galileo with threshold set to 0.3




Station BADJ in network NET2




Station BEJR in network NET2




Station CACE in network NET2




Station CATU in network NET2




Station CORI in network NET2




Station HERR in network NET2




Station JERE in network NET2




Station LLER in network NET2




Station MEDA in network NET2




Station NAVA in network NET2




Station ONOR in network NET2




Station POZO in network NET2




Station SPAB in network NET2




Station TALR in network NET2




Station TRUJ in network NET2




Station VALC in network NET2




Station ZFRA in network NET2




RefCheck for station BADJ in network NET2




RefCheck for station BEJR in network NET2




RefCheck for station CACE in network NET2




RefCheck for station CATU in network NET2




RefCheck for station CORI in network NET2




RefCheck for station HERR in network NET2




RefCheck for station JERE in network NET2




RefCheck for station LLER in network NET2




RefCheck for station MEDA in network NET2




RefCheck for station NAVA in network NET2




RefCheck for station ONOR in network NET2




RefCheck for station POZO in network NET2




RefCheck for station SPAB in network NET2




RefCheck for station TALR in network NET2




RefCheck for station TRUJ in network NET2



RefCheck for station VALC in network NET2



RefCheck for station ZFRA in network NET2



RefCheck values for network NET2

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
BADJ	-0.017	0.013	0.004	-0.008	0.028	0.006	-0.024	0.06	0.015	0.006	0.01	26925	39.0	13323	19.3
BEJR	-0.013	0.017	0.005	-0.033	0.01	0.006	-0.033	0.028	0.01	0.004	0.007	16420	23.8	10579	15.3
CACE	-0.017	0.021	0.005	-0.018	0.013	0.005	-0.03	0.031	0.009	0.004	0.006	10781	15.6	5485	7.9
CATU	-0.026	0.026	0.007	-0.045	0.037	0.007	-0.04	0.06	0.013	0.005	0.01	23329	33.8	13386	19.4
CORI	-0.015	0.017	0.004	-0.018	0.017	0.005	-0.027	0.028	0.008	0.004	0.005	9064	13.1	3055	4.4
HERR	-0.029	0.022	0.007	-0.02	0.023	0.005	-0.063	0.077	0.014	0.006	0.011	15942	23.1	12200	17.6
JERE	-0.006	0.028	0.005	-0.025	0.026	0.006	-0.044	0.015	0.011	0.005	0.008	20025	29.0	17409	25.2
LLER	-0.025	0.021	0.005	-0.023	0.02	0.007	-0.051	0.017	0.012	0.006	0.01	17912	25.9	19168	27.7
MEDA	-0.02	0.011	0.004	-0.011	0.028	0.005	-0.02	0.025	0.008	0.004	0.005	13277	19.2	4497	6.5
NAVA	-0.016	0.027	0.005	-0.016	0.015	0.005	-0.033	0.06	0.012	0.005	0.01	14970	21.7	14051	20.3
ONOR	-0.021	0.015	0.005	-0.017	0.016	0.005	-0.027	0.011	0.008	0.005	0.006	12626	18.3	6055	8.8
POZO	-0.015	0.03	0.006	-0.026	0.028	0.007	-0.046	0.028	0.012	0.005	0.009	19232	27.8	14483	21.0
SPAB	-0.019	0.017	0.006	-0.03	0.022	0.008	-0.027	0.026	0.011	0.005	0.007	25125	36.3	13573	19.6
TALR	-0.036	0.016	0.006	-0.029	0.045	0.006	-0.04	0.044	0.01	0.005	0.007	16423	23.8	7760	11.2
TRUJ	-0.019	0.018	0.005	-0.028	0.017	0.005	-0.046	0.024	0.012	0.004	0.009	14088	20.4	9186	13.3
VALC	-0.021	0.016	0.005	-0.016	0.018	0.005	-0.036	0.024	0.01	0.005	0.007	10294	14.9	8199	11.9
ZFRA	-0.025	0.027	0.006	-0.022	0.041	0.007	-0.028	0.051	0.009	0.006	0.008	16204	23.4	6332	9.2
Mean	-0.02	0.02	0.005	-0.023	0.024	0.006	-0.036	0.036	0.011	0.005	0.008	16625.7	24.1	10514.2	15.2
Min/Max	-0.036	0.03	0.007	-0.045	0.045	0.008	-0.063	0.077	0.015	0.006	0.011	26925	39.0	19168	27.7

fixing statistic for network NET2

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	93.5	94.3	93.1	94.9	91.6
considering satellites with dual-frequency fixed	89.0	89.6	86.0	90.7	88.2
considering all signals separately	89.2	90.1	86.0	91.0	86.8