

summary for network NT11

timeperiod chosen: from 2026-09-17-00:00:00 until 2026-09-17-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.0 seconds


average fixing percentage with threshold set to 0.3: 90.4 percent

stations available: 9 of 9


station information:

station ALOR:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 189.508
station CBON:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 57.319
station EIVI:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 132.126
station FORM:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 99.577
station IBIZ:	antenna: TPSCR3_GGD	CONE	receiver: LEICA GR25	height: 59.944
station MALL:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 62.117
station SINE:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 188.038
station SJO1:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 59.876
station TRAU:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 606.077


Processing rate in network NT11




Histogram of the processing rate in network NT11 (durations larger 15 seconds neglected)




Network NT11 with threshold set to 0.3




Fixing percentage of satellites in network NT11 with threshold set to 0.3




Network NT11 - only GPS with threshold set to 0.3




Network NT11 - only GLONASS with threshold set to 0.3




Network NT11 - only BDS with threshold set to 0.3




Network NT11 - only Galileo with threshold set to 0.3




Station ALOR in network NT11




Station CBON in network NT11




Station EIVI in network NT11




Station FORM in network NT11




Station IBIZ in network NT11




Station MALL in network NT11




Station SINE in network NT11




Station SJO1 in network NT11




Station TRAU in network NT11




RefCheck for station ALOR in network NT11




RefCheck for station CBON in network NT11




RefCheck for station EIVI in network NT11




RefCheck for station FORM in network NT11




RefCheck for station IBIZ in network NT11




RefCheck for station MALL in network NT11




RefCheck for station SINE in network NT11



RefCheck for station SJO1 in network NT11



RefCheck for station TRAU in network NT11



RefCheck values for network NT11

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ALOR	-0.011	0.016	0.005	-0.018	0.012	0.006	-0.033	0.027	0.011	0.004	0.006	21870	25.8	9124	10.8
CBON	-0.02	0.013	0.005	-0.017	0.022	0.006	-0.013	0.034	0.009	0.004	0.007	19271	22.7	12609	14.9
EIVI	-0.045	0.038	0.006	-0.026	0.049	0.007	-0.06	0.031	0.015	0.005	0.011	23809	28.1	20298	23.9
FORM	-0.024	0.013	0.006	-0.021	0.015	0.005	-0.06	0.037	0.017	0.005	0.011	20202	23.8	20806	24.5
IBIZ	-0.02	0.019	0.006	-0.031	0.035	0.007	-0.038	0.029	0.012	0.005	0.008	25305	29.8	13114	15.5
MALL	-0.015	0.028	0.006	-0.015	0.015	0.005	-0.035	0.023	0.009	0.005	0.006	17278	20.4	14104	16.6
SINE	-0.016	0.025	0.006	-0.016	0.018	0.005	-0.028	0.038	0.01	0.004	0.006	17244	20.3	7996	9.4
SJO1	-0.01	0.016	0.005	-0.037	0.011	0.006	-0.035	0.036	0.011	0.005	0.007	15874	18.7	13313	15.7
TRAU	-0.025	0.038	0.006	-0.015	0.023	0.005	-0.019	0.048	0.012	0.005	0.009	17365	20.5	17607	20.8
Mean	-0.021	0.023	0.006	-0.022	0.022	0.006	-0.036	0.034	0.012	0.005	0.008	19802.0	23.3	14330.1	16.9
Min/Max	-0.045	0.038	0.006	-0.037	0.049	0.007	-0.06	0.048	0.017	0.005	0.011	25305	29.8	20806	24.5

fixing statistic for network NT11

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	90.4	93.3	79.8	94.3	89.0
considering satellites with dual-frequency fixed	85.9	89.1	75.0	90.5	83.5
considering all signals separately	86.2	89.0	75.0	90.4	81.5