

summary for network NT14

timeperiod chosen: from 2026-01-30-00:00:00 until 2026-01-30-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 91.2 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOL:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.003	0.019	0.004	-0.022	0.007	0.005	-0.013	0.054	0.013	0.004	0.01	48495	59.6	28127	34.5
AIO2	-0.025	0.02	0.004	-0.023	0.019	0.005	-0.046	0.019	0.012	0.004	0.009	11729	14.4	20692	25.4
ALAC	-0.013	0.019	0.005	-0.019	0.014	0.006	-0.026	0.021	0.01	0.004	0.005	18803	23.1	7983	9.8
ALCO	-0.017	0.009	0.004	-0.013	0.015	0.005	-0.023	0.06	0.012	0.003	0.009	8586	10.5	13598	16.7
BORR	-0.011	0.017	0.004	-0.009	0.018	0.005	-0.03	0.026	0.011	0.004	0.006	9329	11.5	13676	16.8
DENI	-0.014	0.02	0.006	-0.015	0.03	0.008	-0.052	0.036	0.016	0.005	0.009	45141	55.4	29615	36.4
IEJA	-0.021	0.013	0.003	-0.015	0.035	0.004	-0.03	0.041	0.008	0.003	0.006	3986	4.9	4771	5.9
PENI	-0.022	0.006	0.004	-0.014	0.011	0.004	-0.038	0.023	0.01	0.004	0.007	21652	26.6	12067	14.8
SARR	-0.007	0.013	0.003	-0.013	0.018	0.004	-0.051	0.032	0.015	0.003	0.009	8345	10.2	16579	20.4
TOR0	-0.013	0.017	0.004	-0.009	0.019	0.005	-0.021	0.036	0.009	0.004	0.007	12334	15.1	17102	21.0
UTIE	-0.025	0.011	0.004	-0.028	0.007	0.004	-0.025	0.026	0.011	0.004	0.005	58355	71.7	19501	24.0
VALE	-0.015	0.018	0.005	-0.021	0.016	0.007	-0.056	0.031	0.017	0.005	0.009	36929	45.4	33658	41.3
VJOI	-0.013	0.017	0.005	-0.018	0.019	0.006	-0.027	0.05	0.015	0.004	0.008	21003	25.8	21460	26.4
Mean	-0.015	0.015	0.004	-0.017	0.018	0.005	-0.034	0.035	0.012	0.004	0.008	23437.5	28.8	18371.5	22.6
Min/Max	-0.025	0.02	0.006	-0.028	0.035	0.008	-0.056	0.06	0.017	0.005	0.01	58355	71.7	33658	41.3

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	91.2	90.8	91.1	93.6	89.3
considering satellites with dual-frequency fixed	87.9	87.1	87.9	90.7	86.1
considering all signals separately	88.1	87.7	87.9	90.9	85.1