

summary for network NT15

timeperiod chosen: from 2026-01-30-00:00:00 until 2026-01-30-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 92.3 percent

stations available: 15 of 15


station information:

station ACIN:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1178.47
station AGRD:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1010.813
station AJAL:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 884.142
station ALC1:	antenna: TRM57971.00 TZGD	receiver: TRIMBLE NETR9	height: 397.68
station ALIA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1169.276
station ARAS:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1325.848
station BERG:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 892.808
station CALA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 942.231
station CATY:	antenna: GPPNULLANTENNA NONE	receiver: TPS NET-G3	height: 597.734
station CRNA:	antenna: GPPNULLANTENNA NONE	receiver: TPS NET-G3A	height: 649.433
station MOLI:	antenna: LEIAR20 LEIM	receiver: LEICA GR25	height: 1119.45
station MUNI:	antenna: GPPNULLANTENNA NONE	receiver: TPS NET-G3	height: 854.946
station QNTO:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 216.743
station TERU:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 956.227
station YEBE:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 972.816


Processing rate in network NT15




Histogram of the processing rate in network NT15 (durations larger 15 seconds neglected)




Network NT15 with threshold set to 0.3




Fixing percentage of satellites in network NT15 with threshold set to 0.3




Network NT15 - only GPS with threshold set to 0.3




Network NT15 - only GLONASS with threshold set to 0.3




Network NT15 - only BDS with threshold set to 0.3




Network NT15 - only Galileo with threshold set to 0.3




Station ACIN in network NT15



Station AGRD in network NT15




Station AJAL in network NT15




Station ALC1 in network NT15




Station ALIA in network NT15




Station ARAS in network NT15




Station BERG in network NT15




Station CALA in network NT15




Station CATY in network NT15




Station CRNA in network NT15




Station MOLI in network NT15




Station MUNI in network NT15




Station QNT0 in network NT15




Station TERU in network NT15




Station YEBE in network NT15




RefCheck for station ACIN in network NT15




RefCheck for station AGRD in network NT15




RefCheck for station AJAL in network NT15




RefCheck for station ALC1 in network NT15




RefCheck for station ALIA in network NT15




RefCheck for station ARAS in network NT15




RefCheck for station BERG in network NT15




RefCheck for station CALA in network NT15




RefCheck for station CATY in network NT15




RefCheck for station CRNA in network NT15




RefCheck for station MOLI in network NT15




RefCheck for station MUNI in network NT15




RefCheck for station QNT0 in network NT15



RefCheck for station TERU in network NT15



RefCheck for station YEBE in network NT15



RefCheck values for network NT15

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ACIN	-0.004	0.014	0.003	-0.002	0.025	0.005	-0.018	0.046	0.013	0.004	0.01	41397	51.0	20130	24.8
AGRD	-0.022	0.026	0.005	-0.022	0.029	0.008	-0.06	0.057	0.015	0.006	0.012	34862	43.0	41507	51.1
AJAL	-0.015	0.009	0.003	-0.012	0.017	0.005	-0.021	0.032	0.01	0.004	0.008	15744	19.4	19194	23.7
ALC1	-0.008	0.028	0.005	-0.025	0.015	0.006	-0.06	0.024	0.017	0.005	0.011	21629	26.7	17084	21.1
ALIA	-0.011	0.024	0.004	-0.028	0.016	0.005	-0.057	0.052	0.019	0.004	0.012	18208	22.4	22358	27.6
ARAS	-0.012	0.02	0.004	-0.035	0.009	0.005	-0.033	0.06	0.014	0.004	0.01	11956	14.7	17549	21.6
BERG	-0.012	0.012	0.004	-0.029	0.011	0.007	-0.021	0.028	0.01	0.005	0.007	11233	13.8	15347	18.9
CALA	-0.022	-0.003	0.003	-0.009	0.02	0.005	-0.024	0.046	0.013	0.004	0.009	51794	63.8	18437	22.7
CATY	-0.03	0.021	0.009	-0.027	0.023	0.008	-0.06	0.051	0.023	0.007	0.014	40447	49.8	37384	46.1
CRNA	-0.018	0.022	0.006	-0.022	0.028	0.007	-0.051	0.06	0.021	0.005	0.011	25150	31.0	31633	39.0
MOLI	-0.02	0.0	0.003	-0.004	0.022	0.004	-0.017	0.038	0.011	0.004	0.007	66129	81.5	19251	23.7
MUNI	-0.016	0.024	0.005	-0.018	0.016	0.005	-0.024	0.031	0.011	0.004	0.006	8929	11.0	8738	10.8
QNT0	-0.011	0.029	0.004	-0.029	0.017	0.006	-0.053	0.04	0.015	0.004	0.01	29882	36.8	17565	21.6
TERU	-0.015	0.009	0.004	-0.006	0.022	0.005	-0.03	0.058	0.016	0.004	0.012	21122	26.0	21440	26.4
YEBE	-0.015	0.023	0.005	-0.021	0.018	0.006	-0.047	0.049	0.015	0.005	0.011	21238	26.2	26846	33.1
Mean	-0.015	0.017	0.004	-0.019	0.019	0.006	-0.038	0.045	0.015	0.005	0.01	27981.3	34.5	22297.5	27.5
Min/Max	-0.03	0.029	0.009	-0.035	0.029	0.008	-0.06	0.06	0.023	0.007	0.014	66129	81.5	41507	51.1

fixing statistic for network NT15

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	92.3	91.7	92.4	94.6	90.9
considering satellites with dual-frequency fixed	89.6	90.2	85.2	92.7	89.3
considering all signals separately	90.0	90.5	85.2	93.2	88.4