

summary for network NT14

timeperiod chosen: from 2026-02-08-00:00:00 until 2026-02-08-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.0 seconds


average fixing percentage with threshold set to 0.3: 92.5 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOL:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.015	0.016	0.006	-0.017	0.015	0.005	-0.014	0.041	0.011	0.003	0.008	29932	35.3	18934	22.3
AIO2	-0.016	0.007	0.004	-0.012	0.016	0.004	-0.031	0.026	0.013	0.003	0.007	8866	10.5	15614	18.4
ALAC	-0.015	0.02	0.006	-0.022	0.013	0.006	-0.031	0.041	0.012	0.005	0.009	23259	27.4	16032	18.9
ALCO	-0.014	0.014	0.004	-0.02	0.018	0.007	-0.025	0.061	0.02	0.005	0.014	19128	22.6	33736	39.8
BORR	-0.008	0.011	0.003	-0.009	0.014	0.004	-0.026	0.013	0.007	0.003	0.005	5311	6.3	6951	8.2
DENI	-0.021	0.016	0.005	-0.011	0.025	0.005	-0.032	0.056	0.011	0.004	0.007	32604	38.4	11655	13.7
IEJA	-0.012	0.014	0.005	-0.019	0.015	0.005	-0.06	0.015	0.01	0.004	0.009	15642	18.4	25950	30.6
PENI	-0.015	0.004	0.003	-0.015	0.01	0.005	-0.03	0.026	0.01	0.003	0.006	16543	19.5	11155	13.2
SARR	-0.01	0.014	0.004	-0.01	0.013	0.004	-0.036	0.019	0.009	0.003	0.007	16662	19.6	9578	11.3
TOR0	-0.023	0.013	0.007	-0.015	0.021	0.006	-0.044	0.029	0.011	0.006	0.007	25304	29.8	15712	18.5
UTIE	-0.016	0.003	0.003	-0.024	0.005	0.005	-0.034	0.016	0.01	0.003	0.006	59300	69.9	16389	19.3
VALE	-0.009	0.01	0.003	-0.018	0.002	0.003	-0.03	0.02	0.009	0.003	0.005	26429	31.2	7346	8.7
VJOI	-0.01	0.026	0.005	-0.019	0.022	0.007	-0.015	0.055	0.014	0.005	0.011	25652	30.2	22945	27.1
Mean	-0.014	0.013	0.004	-0.016	0.015	0.005	-0.031	0.032	0.011	0.004	0.008	23433.2	27.6	16307.5	19.2
Min/Max	-0.023	0.026	0.007	-0.024	0.025	0.007	-0.06	0.061	0.02	0.006	0.014	59300	69.9	33736	39.8

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	92.5	93.4	93.4	94.4	89.4
considering satellites with dual-frequency fixed	89.4	90.4	89.3	91.9	85.8
considering all signals separately	89.4	90.4	89.3	92.1	84.7