

summary for network NET5

timeperiod chosen: from 2026-02-16-00:00:00 until 2026-02-16-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 91.6 percent

stations available: 14 of 14


station information:

station ARDU:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 844.466
station BUOS:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 963.896
station BURG:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 939.518
station CALH:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 411.39
station CAS0:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 564.198
station CERV:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 723.317
station ELCI:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 525.694
station LOSA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 510.244
station QINT:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 1191.829
station RIO1:	antenna: LEIAR25.R4 LEIT	receiver: LEICA GR50	height: 450.426
station SANR:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 361.499
station SORI:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1135.68
station SROM:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1150.486
station VTRO:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1626.177


Processing rate in network NET5




Histogram of the processing rate in network NET5 (durations larger 15 seconds neglected)




Network NET5 with threshold set to 0.3




Fixing percentage of satellites in network NET5 with threshold set to 0.3




Network NET5 - only GPS with threshold set to 0.3




Network NET5 - only GLONASS with threshold set to 0.3




Network NET5 - only BDS with threshold set to 0.3




Network NET5 - only Galileo with threshold set to 0.3




Station ARDU in network NET5




Station BUOS in network NET5




Station BURG in network NET5




Station CALH in network NET5




Station CAS0 in network NET5




Station CERV in network NET5




Station ELCI in network NET5




Station LOSA in network NET5




Station QINT in network NET5




Station RIO1 in network NET5




Station SORI in network NET5




Station SROM in network NET5




Station VTRO in network NET5




RefCheck for station ARDU in network NET5




RefCheck for station BUOS in network NET5




RefCheck for station BURG in network NET5




RefCheck for station CALH in network NET5




RefCheck for station CAS0 in network NET5




RefCheck for station CERV in network NET5




RefCheck for station ELCI in network NET5




RefCheck for station LOSA in network NET5




RefCheck for station QINT in network NET5




RefCheck for station RIO1 in network NET5




RefCheck for station SANR in network NET5




RefCheck for station SORI in network NET5



RefCheck for station SR0M in network NET5



RefCheck for station VTRO in network NET5



RefCheck values for network NET5

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ARDU	-0.009	0.01	0.003	-0.021	0.01	0.004	-0.011	0.037	0.009	0.003	0.007	6373	8.3	7470	9.8
BUOS	-0.011	0.018	0.006	-0.021	0.011	0.005	-0.02	0.022	0.01	0.004	0.005	24032	31.5	5070	6.6
BURG	-0.005	0.012	0.003	-0.03	0.002	0.005	-0.024	0.036	0.007	0.005	0.006	20004	26.2	4954	6.5
CALH	-0.006	0.018	0.004	-0.014	0.011	0.004	-0.033	0.019	0.009	0.003	0.007	6744	8.8	10134	13.3
CASO	-0.012	0.016	0.004	-0.014	0.014	0.005	-0.048	0.042	0.014	0.004	0.009	15080	19.7	10789	14.1
CERV	-0.022	0.031	0.006	-0.021	0.019	0.006	-0.049	0.043	0.013	0.004	0.009	57144	74.8	24616	32.2
ELCI	-0.01	0.013	0.004	-0.019	0.008	0.004	-0.025	0.033	0.01	0.003	0.006	5062	6.6	7385	9.7
LOSA	-0.007	0.021	0.005	-0.013	0.008	0.003	-0.024	0.02	0.009	0.004	0.005	17116	22.4	4658	6.1
QINT	-0.03	0.007	0.003	-0.007	0.014	0.003	-0.036	0.034	0.011	0.003	0.007	3584	4.7	6638	8.7
RIO1	-0.012	0.017	0.005	-0.009	0.011	0.003	-0.03	0.03	0.009	0.003	0.006	4712	6.2	5406	7.1
SANR	-0.011	0.013	0.003	-0.012	0.011	0.004	-0.021	0.022	0.007	0.002	0.004	1363	1.8	1065	1.4
SORI	-0.027	0.009	0.005	-0.007	0.029	0.005	-0.023	0.027	0.009	0.004	0.007	7938	10.4	10678	14.0
SROM	-0.009	0.013	0.003	-0.01	0.014	0.003	-0.023	0.02	0.007	0.003	0.004	9383	12.3	670	0.9
VTRO	-0.02	0.013	0.005	-0.017	0.025	0.005	-0.028	0.027	0.01	0.004	0.005	46910	61.4	9308	12.2
Mean	-0.014	0.015	0.004	-0.015	0.013	0.004	-0.028	0.029	0.01	0.004	0.006	16103.2	21.1	7774.4	10.2
Min/Max	-0.03	0.031	0.006	-0.03	0.029	0.006	-0.049	0.043	0.014	0.005	0.009	57144	74.8	24616	32.2

fixing statistic for network NET5

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	91.6	93.1	92.1	93.6	88.0
considering satellites with dual-frequency fixed	86.4	86.8	85.6	89.7	83.1
considering all signals separately	86.6	86.7	85.6	89.9	82.1