

summary for network NT14

timeperiod chosen: from 2026-02-16-00:00:00 until 2026-02-16-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 87.3 percent

stations available: 13 of 13


station information:

station ABAN:	antenna: LEIAR25	LEIT	receiver: LEICA GR30	height: 207.768
station AIO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 662.859
station ALAC:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 63.367
station ALCO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 640.121
station BORR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 73.019
station DENI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR10	height: 69.735
station IEJA:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1358.249
station PENI:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR25	height: 108.648
station SARR:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 1041.631
station TOR0:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 64.679
station UTIE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 799.741
station VALE:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR50	height: 80.598
station VJOI:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR30	height: 117.157


Processing rate in network NT14




Histogram of the processing rate in network NT14 (durations larger 15 seconds neglected)




Network NT14 with threshold set to 0.3




Fixing percentage of satellites in network NT14 with threshold set to 0.3




Network NT14 - only GPS with threshold set to 0.3




Network NT14 - only GLONASS with threshold set to 0.3




Network NT14 - only BDS with threshold set to 0.3




Network NT14 - only Galileo with threshold set to 0.3




Station ABAN in network NT14




Station AIO2 in network NT14




Station ALAC in network NT14




Station ALCO in network NT14




Station BORR in network NT14




Station DENI in network NT14




Station IEJA in network NT14




Station PENI in network NT14




Station SARR in network NT14




Station TOR0 in network NT14




Station UTIE in network NT14




Station VALE in network NT14




Station VJOI in network NT14




RefCheck for station ABAN in network NT14




RefCheck for station AIO2 in network NT14




RefCheck for station ALAC in network NT14




RefCheck for station ALCO in network NT14




RefCheck for station BORR in network NT14




RefCheck for station DENI in network NT14




RefCheck for station IEJA in network NT14




RefCheck for station PENI in network NT14




RefCheck for station SARR in network NT14




RefCheck for station TOR0 in network NT14




RefCheck for station UTIE in network NT14



RefCheck for station VALE in network NT14



RefCheck for station VJOI in network NT14



RefCheck values for network NT14

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ABAN	-0.019	0.026	0.008	-0.024	0.023	0.009	-0.045	0.061	0.022	0.006	0.012	43595	53.9	48536	60.0
AIO2	-0.023	0.014	0.007	-0.028	0.02	0.009	-0.029	0.054	0.015	0.006	0.009	37185	46.0	24568	30.4
ALAC	-0.023	0.033	0.012	-0.026	0.018	0.01	-0.072	0.036	0.016	0.008	0.01	63535	78.6	52999	65.5
ALCO	-0.016	0.019	0.007	-0.025	0.012	0.006	-0.057	0.041	0.02	0.004	0.01	54740	67.7	42115	52.1
BORR	-0.012	0.018	0.005	-0.016	0.024	0.007	-0.037	0.06	0.015	0.005	0.009	28389	35.1	22800	28.2
DENI	-0.006	0.026	0.005	-0.015	0.03	0.007	-0.048	0.057	0.014	0.005	0.009	34488	42.6	13385	16.5
IEJA	-0.018	0.016	0.006	-0.013	0.022	0.007	-0.034	0.035	0.012	0.005	0.007	24822	30.7	18497	22.9
PENI	-0.028	0.018	0.008	-0.02	0.026	0.009	-0.045	0.042	0.015	0.007	0.009	60095	74.3	44007	54.4
SARR	-0.019	0.01	0.005	-0.017	0.018	0.006	-0.055	0.041	0.019	0.004	0.01	30661	37.9	30495	37.7
TORO	-0.017	0.019	0.008	-0.017	0.028	0.007	-0.021	0.052	0.015	0.005	0.01	44933	55.6	30898	38.2
UTIE	-0.025	0.007	0.006	-0.03	0.015	0.007	-0.037	0.032	0.014	0.005	0.008	42545	52.6	26107	32.3
VALE	-0.018	0.014	0.005	-0.03	0.013	0.006	-0.047	0.033	0.011	0.004	0.007	31104	38.5	11058	13.7
VJOI	-0.022	0.022	0.008	-0.014	0.028	0.008	-0.037	0.042	0.017	0.006	0.009	39247	48.5	37525	46.4
Mean	-0.019	0.019	0.007	-0.021	0.021	0.008	-0.043	0.045	0.016	0.005	0.009	41179.9	50.9	30999.2	38.3
Min/Max	-0.028	0.033	0.012	-0.03	0.03	0.01	-0.072	0.061	0.022	0.008	0.012	63535	78.6	52999	65.5

fixing statistic for network NT14

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	87.3	89.5	84.9	92.0	82.4
considering satellites with dual-frequency fixed	79.4	83.7	66.6	86.4	76.6
considering all signals separately	80.1	83.8	66.6	86.7	75.0