

summary for network NET2

timeperiod chosen: from 2026-02-19-00:00:00 until 2026-02-19-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.3 seconds


average fixing percentage with threshold set to 0.3: 95.0 percent

stations available: 17 of 17


station information:

station BADI:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE NETR9	height: 250.011
station BEJR:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 1095.149
station CACE:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 436.561
station CATU:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 538.725
station CORI:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 298.518
station HERR:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 478.962
station JERE:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 502.048
station LLER:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 697.642
station MEDA:	antenna: TPSCR.G5	TPSH	receiver: TPS NET-G5	height: 289.946
station NAVA:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 351.596
station ONOR:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 849.379
station POZO:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 736.051
station SPAB:	antenna: TPSCR.G5	TPSH	receiver: LEICA GR50	height: 1006.147
station TALR:	antenna: TRM57971.00	TZGD	receiver: TRIMBLE NETR9	height: 498.986
station TRUJ:	antenna: TPSCR.G5	TPSH	receiver: TPS NET-G5	height: 555.572
station VALC:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE NETR9	height: 529.983
station ZFRA:	antenna: LEIAR25.R3	LEIT	receiver: LEICA GR25	height: 587.49


Processing rate in network NET2




Histogram of the processing rate in network NET2 (durations larger 15 seconds neglected)




Network NET2 with threshold set to 0.3




Fixing percentage of satellites in network NET2 with threshold set to 0.3




Network NET2 - only GPS with threshold set to 0.3




Network NET2 - only GLONASS with threshold set to 0.3




Network NET2 - only BDS with threshold set to 0.3




Network NET2 - only Galileo with threshold set to 0.3




Station BADJ in network NET2




Station BEJR in network NET2




Station CACE in network NET2




Station CATU in network NET2



Station CORI in network NET2




Station HERR in network NET2




Station JERE in network NET2




Station LLER in network NET2




Station MEDA in network NET2




Station NAVA in network NET2




Station ONOR in network NET2




Station POZO in network NET2




Station SPAB in network NET2




Station TALR in network NET2




Station TRUJ in network NET2




Station VALC in network NET2




Station ZFRA in network NET2




RefCheck for station BADI in network NET2




RefCheck for station BEJR in network NET2




RefCheck for station CACE in network NET2




RefCheck for station CATU in network NET2




RefCheck for station CORI in network NET2




RefCheck for station HERR in network NET2




RefCheck for station JERE in network NET2




RefCheck for station LLER in network NET2




RefCheck for station MEDA in network NET2




RefCheck for station NAVA in network NET2




RefCheck for station ONOR in network NET2




RefCheck for station POZO in network NET2




RefCheck for station SPAB in network NET2




RefCheck for station TALR in network NET2




RefCheck for station TRUJ in network NET2



RefCheck for station VALC in network NET2



RefCheck for station ZFRA in network NET2



RefCheck values for network NET2

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
BADJ	-0.007	0.006	0.002	-0.012	0.004	0.002	-0.008	0.015	0.004	0.002	0.003	888	1.3	0	0.0
BEJR	-0.009	0.01	0.003	-0.003	0.011	0.003	-0.032	-0.002	0.007	0.002	0.006	2681	4.0	15687	23.3
CACE	-0.012	0.008	0.003	-0.009	0.011	0.003	-0.017	0.015	0.006	0.002	0.003	2121	3.1	0	0.0
CATU	-0.01	0.014	0.004	-0.007	0.014	0.004	-0.009	0.03	0.007	0.003	0.006	5025	7.5	5640	8.4
CORI	-0.011	0.008	0.004	-0.012	0.009	0.004	-0.011	0.021	0.006	0.003	0.004	5416	8.0	502	0.7
HERR	0.002	0.016	0.002	-0.014	0.002	0.003	-0.012	0.014	0.005	0.002	0.002	26321	39.1	0	0.0
JERE	-0.008	0.009	0.003	-0.011	0.009	0.003	-0.01	0.021	0.006	0.002	0.004	696	1.0	265	0.4
LLER	-0.001	0.011	0.002	-0.007	0.005	0.002	-0.006	0.022	0.004	0.002	0.004	347	0.5	1427	2.1
MEDA	-0.005	0.012	0.002	-0.006	0.008	0.002	-0.012	0.018	0.006	0.002	0.003	922	1.4	0	0.0
NAVA	-0.002	0.018	0.003	-0.011	0.003	0.002	-0.021	0.011	0.007	0.003	0.004	27901	41.4	3115	4.6
ONOR	-0.015	0.003	0.003	-0.001	0.014	0.003	-0.02	0.009	0.006	0.003	0.003	21929	32.5	191	0.3
POZO	-0.01	0.011	0.003	-0.011	0.005	0.002	-0.021	0.015	0.005	0.002	0.003	956	1.4	37	0.1
SPAB	-0.017	-0.0	0.003	-0.004	0.011	0.003	-0.016	0.011	0.005	0.003	0.003	22922	34.0	252	0.4
TALR	-0.017	0.007	0.004	-0.0	0.023	0.004	-0.021	0.015	0.007	0.004	0.004	49830	74.0	4377	6.5
TRUJ	-0.009	0.022	0.004	-0.024	0.009	0.005	-0.032	0.015	0.008	0.004	0.007	9430	14.0	6988	10.4
VALC	-0.013	0.003	0.003	-0.008	0.014	0.003	-0.021	0.015	0.006	0.003	0.004	3000	4.5	965	1.4
ZFRA	-0.006	0.011	0.003	-0.014	0.006	0.003	-0.019	0.013	0.006	0.002	0.003	1697	2.5	0	0.0
Mean	-0.009	0.01	0.003	-0.009	0.009	0.003	-0.017	0.015	0.006	0.003	0.004	10710.7	15.9	2320.4	3.4
Min/Max	-0.017	0.022	0.004	-0.024	0.023	0.005	-0.032	0.03	0.008	0.004	0.007	49830	74.0	15687	23.3

fixing statistic for network NET2

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	95.0	95.9	94.9	95.6	93.5
considering satellites with dual-frequency fixed	93.2	94.0	92.6	93.4	92.5
considering all signals separately	93.1	94.0	92.6	93.8	90.8