

summary for network NT15

timeperiod chosen: from 2026-02-25-00:00:00 until 2026-02-25-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.0 seconds


average fixing percentage with threshold set to 0.3: 94.1 percent

stations available: 15 of 15


station information:

station ACIN:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1178.47
station AGRD:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1010.813
station AJAL:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 884.142
station ALC1:	antenna: TRM57971.00 TZGD	receiver: TRIMBLE NETR9	height: 397.68
station ALIA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1169.276
station ARAS:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1325.848
station BERG:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 892.808
station CALA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 942.231
station CATY:	antenna: GPPNULLANTENNA NONE	receiver: TPS NET-G3	height: 597.734
station CRNA:	antenna: GPPNULLANTENNA NONE	receiver: TPS NET-G3A	height: 649.433
station MOLLI:	antenna: LEIAR20 LEIM	receiver: LEICA GR25	height: 1119.45
station MUNI:	antenna: GPPNULLANTENNA NONE	receiver: TPS NET-G3	height: 854.946
station QNTO:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 216.743
station TERU:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 956.227
station YEBE:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 972.816


Processing rate in network NT15




Histogram of the processing rate in network NT15 (durations larger 15 seconds neglected)




Network NT15 with threshold set to 0.3




Fixing percentage of satellites in network NT15 with threshold set to 0.3




Network NT15 - only GPS with threshold set to 0.3




Network NT15 - only GLONASS with threshold set to 0.3




Network NT15 - only BDS with threshold set to 0.3




Network NT15 - only Galileo with threshold set to 0.3




Station ACIN in network NT15



Station AGRD in network NT15




Station AJAL in network NT15




Station ALC1 in network NT15




Station ALIA in network NT15



Station ARAS in network NT15



Station BERG in network NT15



Station CALA in network NT15




GPS time, starting on DOY 056 of Year 2026

Station CATY in network NT15




GPS time, starting on DOY 056 of Year 2026


Station CRNA in network NT15




Station MOLI in network NT15




Station MUNI in network NT15



Station QNTO in network NT15




Station TERU in network NT15




Station YEBE in network NT15




RefCheck for station ACIN in network NT15




RefCheck for station AGRD in network NT15




RefCheck for station AJAL in network NT15




RefCheck for station ALC1 in network NT15




RefCheck for station ALIA in network NT15




RefCheck for station ARAS in network NT15




RefCheck for station BERG in network NT15




RefCheck for station CALA in network NT15




RefCheck for station CATY in network NT15




RefCheck for station CRNA in network NT15




RefCheck for station MOLI in network NT15




RefCheck for station MUNI in network NT15




RefCheck for station QNTO in network NT15



RefCheck for station TERU in network NT15



RefCheck for station YEBE in network NT15



RefCheck values for network NT15

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ACIN	-0.002	0.014	0.002	-0.005	0.013	0.002	-0.018	0.014	0.005	0.002	0.003	4208	5.0	0	0.0
AGRD	-0.004	0.014	0.002	-0.008	0.006	0.003	-0.009	0.03	0.008	0.002	0.006	1951	2.3	7410	8.8
AJAL	-0.011	0.002	0.002	-0.01	0.007	0.002	-0.006	0.024	0.005	0.002	0.004	676	0.8	1425	1.7
ALC1	-0.004	0.012	0.002	-0.003	0.009	0.002	-0.01	0.015	0.005	0.002	0.002	1211	1.4	0	0.0
ALIA	-0.0	0.011	0.002	-0.006	0.007	0.002	-0.006	0.016	0.004	0.002	0.002	409	0.5	0	0.0
ARAS	-0.004	0.01	0.002	-0.01	0.004	0.002	-0.02	0.008	0.006	0.002	0.003	242	0.3	21	0.0
BERG	-0.007	0.009	0.002	-0.007	0.003	0.002	-0.009	0.016	0.004	0.002	0.003	0	0.0	0	0.0
CALA	-0.012	-0.002	0.002	-0.004	0.007	0.002	-0.012	0.008	0.003	0.002	0.002	5750	6.8	0	0.0
CATY	-0.025	0.022	0.008	-0.028	0.03	0.007	-0.06	0.041	0.016	0.006	0.012	26712	31.6	19553	23.1
CRNA	-0.009	0.011	0.003	-0.009	0.007	0.003	-0.017	0.017	0.007	0.002	0.003	1280	1.5	0	0.0
MOLI	-0.015	-0.001	0.002	-0.002	0.01	0.002	-0.016	0.025	0.005	0.002	0.002	38813	45.9	924	1.1
MUNI	-0.006	0.008	0.003	-0.007	0.005	0.002	-0.01	0.014	0.005	0.002	0.003	0	0.0	0	0.0
QNT0	0.003	0.018	0.002	-0.002	0.007	0.002	-0.015	0.006	0.004	0.002	0.002	8510	10.1	145	0.2
TERU	-0.004	0.008	0.002	-0.005	0.011	0.002	-0.017	0.008	0.004	0.002	0.003	1056	1.2	0	0.0
YEBE	-0.004	0.013	0.003	-0.006	0.006	0.002	-0.01	0.018	0.005	0.003	0.003	4514	5.3	115	0.1
Mean	-0.007	0.01	0.003	-0.007	0.009	0.002	-0.016	0.017	0.006	0.002	0.004	6355.5	7.5	1972.9	2.3
Min/Max	-0.025	0.022	0.008	-0.028	0.03	0.007	-0.06	0.041	0.016	0.006	0.012	38813	45.9	19553	23.1

fixing statistic for network NT15

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	94.1	95.2	92.1	95.5	92.9
considering satellites with dual-frequency fixed	92.1	94.3	85.9	94.3	92.2
considering all signals separately	92.5	94.3	85.9	94.5	91.8