

summary for network NET1

timeperiod chosen: from 2024-06-25-00:00:00 until 2024-06-25-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.2 seconds


average fixing percentage with threshold set to 0.3: 87.8 percent

stations available: 14 of 14


station information:

station AJAL:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 884.142
station ARAJ:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 580.921
station AVI2:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 1206.515
station BUIT:	antenna: TRM57971.00 TZGD	receiver: TRIMBLE NETR9	height: 1032.701
station BUOS:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 963.896
station IGNE:	antenna: LEIAT504GG LEIS	receiver: LEICA GR50	height: 766.956
station MAD1:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 724.483
station OLM1:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 829.129
station ORUS:	antenna: TRM57971.00 TZGD	receiver: TRIMBLE NETR9	height: 862.74
station RIA1:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 1263.778
station SGVA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1076.312
station SMDV:	antenna: TPSCR.G3 TPSH	receiver: TPS NET-G5	height: 670.791
station SPAB:	antenna: TPSCR.G5 TPSH	receiver: TPS NET-G5	height: 1006.147
station TALV:	antenna: TPSCR.G5 TPSH	receiver: TPS NET-G5	height: 458.35


Processing rate in network NET1




Histogram of the processing rate in network NET1 (durations larger 15 seconds neglected)




Network NET1 with threshold set to 0.3




Fixing percentage of satellites in network NET1 with threshold set to 0.3




Network NET1 - only GPS with threshold set to 0.3




Network NET1 - only GLONASS with threshold set to 0.3




Network NET1 - only BDS with threshold set to 0.3




Network NET1 - only Galileo with threshold set to 0.3




Station AJAL in network NET1




Station ARAJ in network NET1




Station AVI2 in network NET1




Station BUIT in network NET1




Station BUOS in network NET1




Station IGNE in network NET1




Station MAD1 in network NET1




Station OLM1 in network NET1




Station ORUS in network NET1




Station RIA1 in network NET1




Station SGVA in network NET1




Station SMDV in network NET1




Station SPAB in network NET1




Station TALV in network NET1




RefCheck for station AJAL in network NET1




RefCheck for station ARAJ in network NET1




RefCheck for station AVI2 in network NET1




RefCheck for station BUIT in network NET1




RefCheck for station BUOS in network NET1




RefCheck for station IGNE in network NET1




RefCheck for station MAD1 in network NET1




RefCheck for station OLM1 in network NET1




RefCheck for station ORUS in network NET1




RefCheck for station RIA1 in network NET1




RefCheck for station SGVA in network NET1




RefCheck for station SMDV in network NET1



RefCheck for station SPAB in network NET1



RefCheck for station TALV in network NET1



RefCheck values for network NET1

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
AJAL	-0.023	0.034	0.006	-0.036	0.04	0.008	-0.101	0.096	0.029	0.007	0.023	56023	79.6	22437	31.9
ARAJ	-0.019	0.018	0.004	-0.037	0.008	0.007	-0.078	0.072	0.013	0.008	0.012	11154	15.8	14179	20.1
AVI2	-0.03	0.018	0.003	-0.058	0.012	0.006	-0.113	0.1	0.027	0.005	0.023	9216	13.1	12689	18.0
BUIT	-0.02	0.014	0.005	-0.012	0.024	0.005	-0.015	0.071	0.013	0.004	0.013	7273	10.3	14997	21.3
BUOS	-0.015	0.02	0.004	-0.003	0.021	0.003	-0.041	0.043	0.015	0.003	0.008	8391	11.9	20556	29.2
IGNE	-0.03	0.008	0.004	-0.017	0.011	0.003	-0.056	0.106	0.018	0.003	0.013	3486	5.0	9748	13.8
MAD1	-0.039	0.01	0.003	-0.013	0.016	0.005	-0.074	0.132	0.021	0.003	0.017	3421	4.9	9904	14.1
OLM1	-0.007	0.054	0.006	-0.026	0.026	0.007	-0.104	0.069	0.021	0.006	0.018	12464	17.7	12883	18.3
ORUS	-0.015	0.033	0.003	-0.004	0.027	0.004	-0.028	0.088	0.011	0.003	0.009	8101	11.5	15581	22.1
RIA1	-0.012	0.029	0.005	-0.006	0.012	0.003	-0.051	0.041	0.012	0.004	0.007	59084	83.9	13448	19.1
SGVA	-0.014	0.028	0.003	-0.016	0.006	0.004	-0.099	0.035	0.013	0.003	0.012	8656	12.3	4006	5.7
SMDV	-0.024	0.02	0.003	-0.006	0.013	0.003	-0.067	0.029	0.011	0.003	0.009	5317	7.6	4993	7.1
SPAB	-0.059	0.046	0.007	-0.065	0.01	0.007	-0.1	0.109	0.024	0.008	0.018	7505	10.7	11960	17.0
TALV	-0.013	0.021	0.005	-0.053	0.009	0.01	-0.136	0.079	0.038	0.009	0.03	27516	39.1	16140	22.9
Mean	-0.023	0.025	0.004	-0.025	0.017	0.005	-0.076	0.076	0.019	0.005	0.015	16257.6	23.1	13108.6	18.6
Min/Max	-0.059	0.054	0.007	-0.065	0.04	0.01	-0.136	0.132	0.038	0.009	0.03	59084	83.9	22437	31.9

fixing statistic for network NET1

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	87.8	91.4	91.4	93.5	75.3
considering satellites with dual-frequency fixed	86.5	87.4	86.3	89.1	81.8
considering all signals separately	86.3	87.4	86.3	89.2	79.0