

## summary for network NT10

timeperiod chosen: from 2026-05-29-00:00:00 until 2026-05-29-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.0 seconds


average fixing percentage with threshold set to 0.3: 92.9 percent

stations available: 16 of 16


station information:

station BCL1:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 56.108
station BCLN:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR10	height: 84.869
station BELL:	antenna: LEIAR25.R4	NONE	receiver: LEICA GR50	height: 853.49
station BINE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 346.962
station CREU:	antenna: LEIAR25.R4	NONE	receiver: LEICA GR50	height: 133.461
station EBRE:	antenna: LEIAR25.R4	NONE	receiver: LEICA GR50	height: 107.865
station EBRO:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 54.383
station ESCO:	antenna: LEIAR25.R4	NONE	receiver: LEICA GR50	height: 2508.5
station GIRO:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 112.757
station GRAU:	antenna: GPPNULLANTENNA	NONE	receiver: TPS NET-G3	height: 509.767
station MEQU:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 138.587
station OLOT:	antenna: TRM57971.00	TZGD	receiver: LEICA GR25	height: 600.524
station PUIG:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 1162.383
station TARR:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 491.505
station TRRG:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 55.148
station VRO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 541.42


Processing rate in network NT10




Histogram of the processing rate in network NT10 (durations larger 15 seconds neglected)




Network NT10 with threshold set to 0.3




Fixing percentage of satellites in network NT10 with threshold set to 0.3




Network NT10 - only GPS with threshold set to 0.3




Network NT10 - only GLONASS with threshold set to 0.3




Network NT10 - only BDS with threshold set to 0.3




Network NT10 - only Galileo with threshold set to 0.3




Station BCL1 in network NT10




Station BCLN in network NT10




Station BELL in network NT10




Station BINE in network NT10




Station CREU in network NT10




Station EBRE in network NT10




Station EBRO in network NT10




Station ESCO in network NT10




Station GIRO in network NT10




Station GRAU in network NT10




Station MEQU in network NT10




Station OLOT in network NT10




Station PUIG in network NT10




Station TARR in network NT10




Station TRRG in network NT10




Station VRO2 in network NT10




# RefCheck for station BCL1 in network NT10




# RefCheck for station BCLN in network NT10




# RefCheck for station BELL in network NT10




# RefCheck for station BINE in network NT10




### RefCheck for station CREU in network NT10




### RefCheck for station EBRE in network NT10




# RefCheck for station EBRO in network NT10




# RefCheck for station ESCO in network NT10




# RefCheck for station GIRO in network NT10




# RefCheck for station GRAU in network NT10




# RefCheck for station MEQU in network NT10




### RefCheck for station OLOT in network NT10




# RefCheck for station PUIG in network NT10




### RefCheck for station TARR in network NT10



### RefCheck for station TRRG in network NT10



# RefCheck for station VRO2 in network NT10



## RefCheck values for network NT10

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
BCL1	-0.014	0.012	0.005	-0.011	0.015	0.004	-0.02	0.026	0.009	0.003	0.005	10530	12.6	3673	4.4
BCLN	-0.008	0.019	0.004	-0.017	0.013	0.005	-0.026	0.03	0.009	0.003	0.005	6352	7.6	4617	5.5
BELL	-0.02	0.022	0.005	-0.009	0.018	0.004	-0.01	0.042	0.008	0.004	0.007	14661	17.5	10793	12.9
BINE	-0.011	0.017	0.004	-0.018	0.007	0.004	-0.027	0.021	0.008	0.003	0.005	8451	10.1	4716	5.6
CREU	-0.017	0.015	0.005	-0.007	0.023	0.005	-0.024	0.028	0.008	0.004	0.005	23290	27.8	8645	10.3
EBRE	-0.007	0.015	0.004	-0.023	0.011	0.004	-0.06	0.022	0.011	0.004	0.007	11087	13.2	6513	7.8
EBRO	-0.008	0.016	0.004	-0.011	0.012	0.004	-0.016	0.024	0.007	0.003	0.005	7242	8.6	1736	2.1
ESCO	-0.019	0.028	0.004	-0.014	0.023	0.005	-0.053	0.02	0.009	0.004	0.007	9334	11.1	7204	8.6
GIRO	-0.018	0.009	0.005	-0.018	0.012	0.004	-0.015	0.031	0.009	0.003	0.006	18826	22.5	16776	20.0
GRAU	-0.018	0.017	0.006	-0.013	0.013	0.004	-0.046	0.025	0.01	0.004	0.007	14786	17.6	6338	7.6
MEQU	-0.028	0.012	0.005	-0.033	0.011	0.005	-0.049	0.057	0.015	0.005	0.011	11245	13.4	14895	17.8
OLOT	-0.023	0.019	0.006	-0.011	0.02	0.004	-0.06	0.015	0.012	0.004	0.008	16095	19.2	12729	15.2
PUIG	-0.026	0.025	0.005	-0.028	0.032	0.008	-0.06	0.026	0.01	0.005	0.008	24883	29.7	13028	15.5
TARR	-0.031	0.017	0.005	-0.011	0.022	0.005	-0.018	0.043	0.007	0.004	0.006	10234	12.2	5871	7.0
TRRG	-0.012	0.015	0.005	-0.015	0.017	0.006	-0.015	0.033	0.008	0.004	0.006	20947	25.0	6477	7.7
VRO2	-0.02	0.014	0.005	-0.019	0.015	0.004	-0.042	0.026	0.012	0.004	0.007	8768	10.5	8089	9.6
<b>Mean</b>	<b>-0.017</b>	<b>0.017</b>	<b>0.005</b>	<b>-0.016</b>	<b>0.016</b>	<b>0.005</b>	<b>-0.034</b>	<b>0.029</b>	<b>0.01</b>	<b>0.004</b>	<b>0.007</b>	<b>13545.7</b>	<b>16.2</b>	<b>8256.2</b>	<b>9.8</b>
<b>Min/Max</b>	<b>-0.031</b>	<b>0.028</b>	<b>0.006</b>	<b>-0.033</b>	<b>0.032</b>	<b>0.008</b>	<b>-0.06</b>	<b>0.057</b>	<b>0.015</b>	<b>0.005</b>	<b>0.011</b>	<b>24883</b>	<b>29.7</b>	<b>16776</b>	<b>20.0</b>

fixing statistic for network NT10

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	92.9	93.6	91.8	94.6	91.0
considering satellites with dual-frequency fixed	90.3	90.7	88.6	92.7	88.2
considering all signals separately	90.4	90.8	88.6	93.0	86.2