

summary for network NT10

timeperiod chosen: from 2026-07-25-00:00:00 until 2026-07-25-23:59:59

average update rate (durations larger than 15 seconds considered as observation gap): 1.0 seconds


average fixing percentage with threshold set to 0.3: 90.8 percent

stations available: 16 of 16


station information:

station BCL1:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 56.108
station BCLN:	antenna: LEIAR25.R4	LEIT	receiver: LEICA GR10	height: 84.869
station BELL:	antenna: LEIAR25.R4	NONE	receiver: LEICA GR50	height: 853.49
station BINE:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 346.962
station CREU:	antenna: LEIAR25.R4	NONE	receiver: LEICA GR50	height: 133.461
station EBRE:	antenna: LEIAR25.R4	NONE	receiver: LEICA GR50	height: 107.865
station EBRO:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 54.383
station ESCO:	antenna: LEIAR25.R4	NONE	receiver: LEICA GR50	height: 2508.5
station GIRO:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 112.757
station GRAU:	antenna: GPPNULLANTENNA	NONE	receiver: TPS NET-G3	height: 509.767
station MEQU:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 138.587
station OLOT:	antenna: TRM57971.00	TZGD	receiver: LEICA GR25	height: 600.524
station PUIG:	antenna: TRM59900.00	SCIS	receiver: TRIMBLE NETR9	height: 1162.383
station TARR:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 491.505
station TRRG:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 55.148
station VRO2:	antenna: GPPNULLANTENNA	NONE	receiver: LEICA GR50	height: 541.42


Processing rate in network NT10




Histogram of the processing rate in network NT10 (durations larger 15 seconds neglected)




Network NT10 with threshold set to 0.3




Fixing percentage of satellites in network NT10 with threshold set to 0.3




Network NT10 - only GPS with threshold set to 0.3




Network NT10 - only GLONASS with threshold set to 0.3




Network NT10 - only BDS with threshold set to 0.3




Network NT10 - only Galileo with threshold set to 0.3




Station BCL1 in network NT10




Station BCLN in network NT10




Station BELL in network NT10




Station BINE in network NT10




Station CREU in network NT10




Station EBRE in network NT10




Station EBRO in network NT10




Station ESCO in network NT10




Station GIRO in network NT10




Station GRAU in network NT10




Station MEQU in network NT10




Station OLOT in network NT10




Station PUIG in network NT10




Station TARR in network NT10




Station TRRG in network NT10




Station VRO2 in network NT10




RefCheck for station BCL1 in network NT10




RefCheck for station BCLN in network NT10




RefCheck for station BELL in network NT10




RefCheck for station BINE in network NT10




RefCheck for station CREU in network NT10




RefCheck for station EBRE in network NT10




RefCheck for station EBRO in network NT10




RefCheck for station ESCO in network NT10




RefCheck for station GIRO in network NT10




RefCheck for station GRAU in network NT10




RefCheck for station MEQU in network NT10




RefCheck for station OLOT in network NT10




RefCheck for station PUIG in network NT10




RefCheck for station TARR in network NT10



RefCheck for station TRRG in network NT10



RefCheck for station VRO2 in network NT10



RefCheck values for network NT10

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
BCL1	-0.024	0.025	0.006	-0.028	0.026	0.007	-0.055	0.06	0.017	0.006	0.011	23641	28.6	20873	25.2
BCLN	-0.029	0.023	0.007	-0.019	0.021	0.007	-0.048	0.021	0.01	0.005	0.007	24974	30.2	13197	16.0
BELL	-0.015	0.026	0.006	-0.003	0.026	0.004	-0.034	0.034	0.012	0.005	0.007	23958	29.0	21658	26.2
BINE	-0.011	0.015	0.004	-0.014	0.011	0.004	-0.033	0.023	0.011	0.003	0.006	7611	9.2	14299	17.3
CREU	-0.021	0.015	0.006	-0.007	0.026	0.006	-0.031	0.048	0.016	0.006	0.01	32529	39.3	29326	35.5
EBRE	-0.017	0.046	0.007	-0.025	0.031	0.008	-0.06	0.058	0.016	0.005	0.011	31455	38.0	30726	37.2
EBRO	-0.018	0.013	0.005	-0.011	0.027	0.005	-0.023	0.038	0.012	0.004	0.008	9386	11.4	14512	17.6
ESCO	-0.024	0.031	0.006	-0.029	0.026	0.005	-0.057	0.036	0.014	0.005	0.011	17728	21.4	14410	17.4
GIRO	-0.04	0.019	0.006	-0.03	0.029	0.007	-0.025	0.038	0.013	0.005	0.009	33999	41.1	20114	24.3
GRAU	-0.015	0.019	0.006	-0.025	0.013	0.007	-0.06	0.06	0.016	0.005	0.011	27922	33.8	16888	20.4
MEQU	-0.022	0.021	0.006	-0.015	0.013	0.006	-0.038	0.045	0.015	0.004	0.008	27580	33.4	21617	26.1
OLOT	-0.022	0.03	0.008	-0.031	0.027	0.006	-0.045	0.034	0.014	0.006	0.01	30893	37.4	20925	25.3
PUIG	-0.031	0.035	0.006	-0.037	0.015	0.006	-0.06	0.039	0.014	0.006	0.01	19701	23.8	13578	16.4
TARR	-0.018	0.013	0.004	-0.009	0.014	0.004	-0.02	0.021	0.009	0.003	0.005	10135	12.3	1309	1.6
TRRG	-0.018	0.03	0.005	-0.03	0.021	0.006	-0.06	0.058	0.016	0.004	0.011	19963	24.1	19041	23.0
VRO2	-0.014	0.016	0.004	-0.013	0.025	0.005	-0.028	0.047	0.013	0.004	0.007	13459	16.3	10953	13.2
Mean	-0.021	0.024	0.006	-0.02	0.022	0.006	-0.042	0.041	0.014	0.005	0.009	22183.4	26.8	17714.1	21.4
Min/Max	-0.04	0.046	0.008	-0.037	0.031	0.008	-0.06	0.06	0.017	0.006	0.011	33999	41.1	30726	37.2

fixing statistic for network NT10

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	90.8	92.0	89.9	93.1	87.4
considering satellites with dual-frequency fixed	86.5	87.6	82.4	89.3	84.4
considering all signals separately	86.8	87.8	82.4	89.8	82.4