summary for network NT32

timeperiod chosen: from 2026-11-06-00:00:00 until 2026-11-06-23:59:59


average update rate (durations larger than 15 seconds considered as observation gap): 1.2 seconds


average fixing percentage with threshold set to 0.3: 89.8 percent


stations available: 15 of 15


station information:


station EH01:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 801.016
station EH02:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 85.385
station GOM1:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 48.789
station GOME:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 114.977
station IZAN:	antenna: LEIAT504GG	LEIS	receiver: LEICA GR50	height: 2417.44
station LP01:	antenna: TRM57971.00	NONE	receiver: TRIMBLE ALLOY	height: 675.249
station LP03:	antenna: TRM59900.00	NONE	receiver: TRIMBLE NETR9	height: 919.563
station LPAL:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 2199.31
station LRES:	antenna: LEIAR20	NONE	receiver: LEICA GR50	height: 51.241
station TN01:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 51.859
station TN02:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE ALLOY	height: 54.509
station TN03:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE ALLOY	height: 58.588
station TN06:	antenna: LEIAR20	NONE	receiver: LEICA GR50	height: 1053.548
station TN09:	antenna: LEIAR20	NONE	receiver: LEICA GR50	height: 1582.15
station TE11:	antenna: LEIAR10	NONE	receiver: LEICA GR25	height: 2092.021



Processing rate in network NT32
time difference to next processed epoch [s]
0
2
4
6
8
10
12
14
16
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Histogram of the processing rate in network NT32 (durations larger 15 seconds neglected)
60000
50000
40000
30000
20000
10000
0
number of epochs
1
2
3
time difference to next processed epoch [s]



Network NT32 with threshold set to 0.3
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
40
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Fixing percentage of satellites in network NT32 with threshold set to 0.3
percentage fixed to tracked
100
90
80
70
60
50
40
30
20
10
0
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Network NT32 - only GPS with threshold set to 0.3
number of satellites
GPS time, starting on DOY 310 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
l1_tracked
l1_fixed (91.8 % fixed)
l2_tracked
l2_fixed (91.8 % fixed)
l5_tracked
l5_fixed (91.4 % fixed)



Network NT32 - only GLONASS with threshold set to 0.3
l1_tracked
l1_fixed (86.2 % fixed)
l2_tracked
l2_fixed (86.2 % fixed)
number of satellites
0
2
4
6
8
10
12
14
16
18
20
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Network NT32 - only BDS with threshold set to 0.3
number of satellites
GPS time, starting on DOY 310 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
I2_tracked
I2_fixed (88.9 % fixed)
I6_tracked
I6_fixed (89.0 % fixed)
I7_tracked
I7_fixed (0.0 % fixed)



Network NT32 - only Galileo with threshold set to 0.3
number of satellites
GPS time, starting on DOY 310 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
l1_tracked
l1_fixed (91.3 % fixed)
l5_tracked
l5_fixed (91.6 % fixed)
l7_tracked
l7_fixed (91.9 % fixed)



Station EH01 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station EH02 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station GOM1 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station GOME in network NT32
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station IZAN in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station LP01 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station LP03 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station LPAL in network NT32
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station LRES in network NT32
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station TN01 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station TN02 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station TN03 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station TN06 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station TN09 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



Station TE11 in network NT32
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



RefCheck for station EH01 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.005 E=0.015 U=0.007
std: N=0.004 E=0.008 U=0.011 2D=0.005 3D=0.006
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



RefCheck for station EH02 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.007 E=0.017 U=-0.002
std: N=0.006 E=0.008 U=0.011 2D=0.006 3D=0.006
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



RefCheck for station GOM1 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.004 E=-0.01 U=-0.005
std: N=0.006 E=0.006 U=0.014 2D=0.005 3D=0.007
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



RefCheck for station GOME in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.001 E=0.001 U=0.007
std: N=0.006 E=0.004 U=0.013 2D=0.004 3D=0.009
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



RefCheck for station IZAN in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.0 E=-0.011 U=-0.007
std: N=0.003 E=0.005 U=0.009 2D=0.005 3D=0.007
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



RefCheck for station LP01 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.014 E=0.007 U=0.006
std: N=0.004 E=0.005 U=0.013 2D=0.004 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



RefCheck for station LP03 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.004 E=0.005 U=-0.001
std: N=0.006 E=0.008 U=0.013 2D=0.006 3D=0.008
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



RefCheck for station LPAL in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.012 E=0.009 U=-0.003
std: N=0.004 E=0.005 U=0.013 2D=0.004 3D=0.008
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



RefCheck for station LRES in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.01 E=0.015 U=-0.0
std: N=0.004 E=0.007 U=0.015 2D=0.005 3D=0.007
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026



RefCheck for station TN01 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.003 E=-0.014 U=-0.007
std: N=0.004 E=0.006 U=0.008 2D=0.005 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026


RefCheck for station TN02 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.002 E=-0.009 U=0.009
std: N=0.004 E=0.006 U=0.006 2D=0.004 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026


RefCheck for station TN03 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.004 E=-0.004 U=-0.003
std: N=0.004 E=0.005 U=0.008 2D=0.003 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026


RefCheck for station TN06 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.006 E=-0.008 U=-0.006
std: N=0.005 E=0.005 U=0.012 2D=0.004 3D=0.007
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026


RefCheck for station TN09 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.011 E=-0.012 U=0.003
std: N=0.003 E=0.005 U=0.01 2D=0.004 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026


RefCheck for station TE11 in network NT32
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.0 E=-0.009 U=0.001
std: N=0.004 E=0.006 U=0.009 2D=0.005 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 310 of Year 2026

RefCheck values for network NT32

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
EH01	-0.007	0.015	0.004	-0.011	0.03	**0.008**	-0.031	0.035	0.011	0.005	0.006	67525	92.9	45969	63.3
EH02	-0.018	0.026	**0.006**	-0.012	0.041	**0.008**	-0.033	0.041	0.011	**0.006**	0.006	67283	92.6	52575	72.4
GOM1	-0.023	0.024	**0.006**	-0.03	0.024	0.006	**-0.084**	**0.045**	0.014	0.005	0.007	54829	75.5	31793	43.8
GOME	-0.025	0.038	**0.006**	-0.022	0.035	0.004	-0.046	0.043	0.013	0.004	**0.009**	10368	14.3	12796	17.6
IZAN	-0.012	0.025	0.003	-0.025	0.013	0.005	-0.042	0.013	0.009	0.005	0.007	57415	79.0	13326	18.3
LP01	**-0.03**	0.0	0.004	-0.008	0.022	0.005	-0.031	0.028	0.013	0.004	0.005	66746	91.9	44959	61.9
LP03	-0.017	0.015	**0.006**	**-0.032**	0.027	**0.008**	-0.042	0.041	0.013	**0.006**	0.008	27758	38.2	18139	25.0
LPAL	-0.024	0.003	0.004	-0.016	0.021	0.005	-0.046	0.036	0.013	0.004	0.008	66741	91.9	27441	37.8
LRES	-0.005	**0.061**	0.004	-0.02	**0.056**	0.007	-0.053	0.041	**0.015**	0.005	0.007	67521	92.9	**53583**	**73.7**
TN01	-0.013	0.009	0.004	-0.029	0.008	0.006	-0.029	0.014	0.008	0.005	0.005	63095	86.8	30083	41.4
TN02	-0.017	0.009	0.004	-0.026	0.012	0.006	-0.012	0.028	0.006	0.004	0.005	46367	63.8	12769	17.6
TN03	-0.009	0.018	0.004	-0.017	0.016	0.005	-0.026	0.026	0.008	0.003	0.005	17767	24.5	2862	3.9
TN06	-0.021	0.005	0.005	-0.021	0.015	0.005	-0.035	0.028	0.012	0.004	0.007	47090	64.8	18975	26.1
TN09	-0.0	0.02	0.003	-0.022	0.006	0.005	-0.023	0.037	0.01	0.004	0.004	**68564**	**94.4**	28585	39.3
TE11	-0.02	0.01	0.004	-0.02	0.007	0.006	-0.021	0.032	0.009	0.005	0.005	44074	60.7	8971	12.3
Mean	**-0.016**	**0.019**	**0.004**	**-0.021**	**0.022**	**0.006**	**-0.037**	**0.033**	**0.011**	**0.005**	**0.006**	**51542.9**	**70.9**	**26855.1**	**37.0**
Min/Max	**-0.03**	**0.061**	**0.006**	**-0.032**	**0.056**	**0.008**	**-0.084**	**0.045**	**0.015**	**0.006**	**0.009**	**68564**	**94.4**	**53583**	**73.7**

fixing statistic for network NT32

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	89.8	91.8	86.2	91.3	88.9
considering satellites with dual-frequency fixed	85.3	87.7	80.0	85.6	86.1
considering all signals separately	85.8	88.0	80.0	86.3	85.9