summary for network N32T

timeperiod chosen: from 2026-11-09-00:00:00 until 2026-11-09-23:59:59


average update rate (durations larger than 15 seconds considered as observation gap): 1.4 seconds


average fixing percentage with threshold set to 0.3: 89.7 percent


stations available: 15 of 15


station information:


station EH01:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 801.016
station EH02:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 85.385
station GOM1:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 48.789
station GOME:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 114.977
station IZAN:	antenna: LEIAT504GG	LEIS	receiver: LEICA GR50	height: 2417.44
station LP01:	antenna: TRM57971.00	NONE	receiver: TRIMBLE ALLOY	height: 675.249
station LP03:	antenna: TRM59900.00	NONE	receiver: TRIMBLE NETR9	height: 919.563
station LPAL:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 2199.31
station LRES:	antenna: LEIAR20	NONE	receiver: LEICA GR25	height: 51.241
station TN01:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 51.859
station TN02:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE ALLOY	height: 54.509
station TN03:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE ALLOY	height: 58.588
station TN06:	antenna: LEIAR20	NONE	receiver: LEICA GR50	height: 1053.548
station TN09:	antenna: LEIAR20	NONE	receiver: LEICA GR50	height: 1582.15
station TE11:	antenna: LEIAR10	NONE	receiver: LEICA GR25	height: 2092.021



Processing rate in network N32T
time difference to next processed epoch [s]
0
2
4
6
8
10
12
14
16
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Histogram of the processing rate in network N32T (durations larger 15 seconds neglected)
number of epochs
0
5000
10000
15000
20000
25000
30000
35000
1
2
3
4
5
6
time difference to next processed epoch [s]



Network N32T with threshold set to 0.3
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
40
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Fixing percentage of satellites in network N32T with threshold set to 0.3
percentage fixed to tracked
0
10
20
30
40
50
60
70
80
90
100
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Network N32T - only GPS with threshold set to 0.3
number of satellites
GPS time, starting on DOY 313 of Year 2026
l1_tracked
l1_fixed (90.3 % fixed)
l2_tracked
l2_fixed (89.6 % fixed)
l5_tracked
l5_fixed (90.2 % fixed)
0
2
4
6
8
10
12
14
16
18
20
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00



Network N32T - only GLONASS with threshold set to 0.3
l1_tracked
l1_fixed (88.9 % fixed)
l2_tracked
l2_fixed (88.9 % fixed)
number of satellites
0
2
4
6
8
10
12
14
16
18
20
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Network N32T - only BDS with threshold set to 0.3
number of satellites
GPS time, starting on DOY 313 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
I2_tracked
I2_fixed (92.5 % fixed)
I6_tracked
I6_fixed (92.6 % fixed)
I7_tracked
I7_fixed (0.0 % fixed)



Network N32T - only Galileo with threshold set to 0.3
number of satellites
GPS time, starting on DOY 313 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
l1_tracked
l1_fixed (87.7 % fixed)
l5_tracked
l5_fixed (88.1 % fixed)
l7_tracked
l7_fixed (88.2 % fixed)



Station EH01 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station EH02 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station GOM1 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station GOME in network N32T
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station IZAN in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station LP01 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station LP03 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station LPAL in network N32T
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station LRES in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station TN01 in network N32T
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station TN02 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station TN03 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station TN06 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
09-Nov
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station TN09 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



Station TE11 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



RefCheck for station EH01 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.001 E=0.014 U=-0.004
std: N=0.004 E=0.009 U=0.017 2D=0.007 3D=0.01
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



RefCheck for station EH02 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.007 E=0.017 U=-0.003
std: N=0.005 E=0.005 U=0.016 2D=0.005 3D=0.008
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



RefCheck for station GOM1 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.004 E=-0.01 U=-0.001
std: N=0.007 E=0.006 U=0.019 2D=0.005 3D=0.011
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



RefCheck for station GOME in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.001 E=-0.001 U=0.009
std: N=0.004 E=0.005 U=0.012 2D=0.004 3D=0.01
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



RefCheck for station IZAN in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.002 E=-0.014 U=0.002
std: N=0.002 E=0.003 U=0.005 2D=0.003 3D=0.003
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



RefCheck for station LP01 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.017 E=0.011 U=0.018
std: N=0.004 E=0.004 U=0.01 2D=0.003 3D=0.007
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



RefCheck for station LP03 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.007 E=0.001 U=0.008
std: N=0.004 E=0.005 U=0.009 2D=0.003 3D=0.006
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



RefCheck for station LPAL in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.014 E=0.01 U=-0.002
std: N=0.003 E=0.003 U=0.009 2D=0.004 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



RefCheck for station LRES in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.01 E=0.017 U=0.006
std: N=0.004 E=0.004 U=0.007 2D=0.004 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026



RefCheck for station TN01 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.006 E=-0.016 U=-0.009
std: N=0.005 E=0.006 U=0.012 2D=0.006 3D=0.009
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026


RefCheck for station TN02 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.004 E=-0.011 U=0.011
std: N=0.004 E=0.005 U=0.013 2D=0.005 3D=0.009
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026


RefCheck for station TN03 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.001 E=-0.006 U=0.001
std: N=0.004 E=0.004 U=0.007 2D=0.004 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026


RefCheck for station TN06 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.006 E=-0.011 U=-0.007
std: N=0.005 E=0.005 U=0.009 2D=0.005 3D=0.006
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026


RefCheck for station TN09 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.011 E=-0.015 U=0.004
std: N=0.003 E=0.003 U=0.008 2D=0.003 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026


RefCheck for station TE11 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.001 E=-0.012 U=-0.001
std: N=0.002 E=0.003 U=0.006 2D=0.003 3D=0.003
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 313 of Year 2026

RefCheck values for network N32T

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
EH01	-0.011	0.022	0.004	-0.016	**0.033**	**0.009**	**-0.06**	0.033	0.017	**0.007**	0.01	47216	77.8	37529	61.8
EH02	-0.007	**0.028**	0.005	-0.007	0.03	0.005	**-0.06**	0.039	0.016	0.005	0.008	59143	97.4	43242	71.2
GOM1	**-0.03**	0.019	**0.007**	-0.023	0.013	0.006	-0.028	**0.06**	**0.019**	0.005	**0.011**	45715	75.3	28893	47.6
GOME	-0.013	0.015	0.004	-0.017	0.013	0.005	-0.017	0.053	0.012	0.004	0.01	7532	12.4	9517	15.7
IZAN	-0.009	0.005	0.002	-0.025	0.0	0.003	-0.011	0.018	0.005	0.003	0.003	58005	95.6	4946	8.1
LP01	-0.026	-0.0	0.004	0.0	0.02	0.004	-0.008	0.04	0.01	0.003	0.007	60624	99.9	**54750**	**90.2**
LP03	-0.019	0.011	0.004	-0.015	0.02	0.005	-0.018	0.037	0.009	0.003	0.006	19436	32.0	8611	14.2
LPAL	-0.019	0.01	0.003	-0.007	0.022	0.003	-0.034	0.015	0.009	0.004	0.004	57987	95.5	20993	34.6
LRES	-0.0	0.019	0.004	-0.0	0.029	0.004	-0.012	0.026	0.007	0.004	0.004	60286	99.3	44297	73.0
TN01	-0.023	0.009	0.005	**-0.035**	0.001	0.006	**-0.06**	0.012	0.012	0.006	0.009	56939	93.8	32080	52.9
TN02	-0.016	0.011	0.004	-0.028	0.002	0.005	-0.027	0.056	0.013	0.005	0.009	43433	71.6	25698	42.3
TN03	-0.01	0.013	0.004	-0.019	0.003	0.004	-0.017	0.019	0.007	0.004	0.004	14782	24.4	449	0.7
TN06	-0.023	0.007	0.005	-0.027	0.002	0.005	-0.03	0.016	0.009	0.005	0.006	40659	67.0	18075	29.8
TN09	0.002	0.018	0.003	-0.028	-0.008	0.003	-0.021	0.027	0.008	0.003	0.004	**60696**	**100.0**	26409	43.5
TE11	-0.009	0.008	0.002	-0.02	0.001	0.003	-0.016	0.012	0.006	0.003	0.003	50919	83.9	234	0.4
Mean	**-0.014**	**0.013**	**0.004**	**-0.018**	**0.012**	**0.005**	**-0.028**	**0.031**	**0.011**	**0.004**	**0.007**	**45558.1**	**75.1**	**23714.9**	**39.1**
Min/Max	**-0.03**	**0.028**	**0.007**	**-0.035**	**0.033**	**0.009**	**-0.06**	**0.06**	**0.019**	**0.007**	**0.011**	**60696**	**100.0**	**54750**	**90.2**

fixing statistic for network N32T

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	89.7	90.3	88.9	87.7	92.5
considering satellites with dual-frequency fixed	86.2	86.4	83.2	85.4	89.9
considering all signals separately	86.3	86.5	83.2	85.8	89.8