summary for network N32T

timeperiod chosen: from 2026-11-11-00:00:00 until 2026-11-11-23:59:59


average update rate (durations larger than 15 seconds considered as observation gap): 1.5 seconds


average fixing percentage with threshold set to 0.3: 74.4 percent


stations available: 15 of 15


station information:


station EH01:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 801.016
station EH02:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 85.385
station GOM1:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 48.789
station GOME:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 114.977
station IZAN:	antenna: LEIAT504GG	LEIS	receiver: LEICA GR50	height: 2417.44
station LP01:	antenna: TRM57971.00	NONE	receiver: TRIMBLE ALLOY	height: 675.249
station LP03:	antenna: TRM59900.00	NONE	receiver: TRIMBLE NETR9	height: 919.563
station LPAL:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 2199.31
station LRES:	antenna: LEIAR20	NONE	receiver: LEICA GR25	height: 51.241
station TN01:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 51.859
station TN02:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE ALLOY	height: 54.509
station TN03:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE ALLOY	height: 58.588
station TN06:	antenna: LEIAR20	NONE	receiver: LEICA GR50	height: 1053.548
station TN09:	antenna: LEIAR20	NONE	receiver: LEICA GR50	height: 1582.15
station TE11:	antenna: LEIAR10	NONE	receiver: LEICA GR25	height: 2092.021



Processing rate in network N32T
time difference to next processed epoch [s]
0
2
4
6
8
10
12
14
16
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Histogram of the processing rate in network N32T (durations larger 15 seconds neglected)
number of epochs
0
5000
10000
15000
20000
25000
30000
1
2
3
4
5
6
7
time difference to next processed epoch [s]



Network N32T with threshold set to 0.3
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
40
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Fixing percentage of satellites in network N32T with threshold set to 0.3
percentage fixed to tracked
0
10
20
30
40
50
60
70
80
90
100
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Network N32T - only GPS with threshold set to 0.3
number of satellites
GPS time, starting on DOY 315 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
l1_tracked
l1_fixed (78.5 % fixed)
l2_tracked
l2_fixed (77.6 % fixed)
l5_tracked
l5_fixed (79.0 % fixed)



Network N32T - only GLONASS with threshold set to 0.3
l1_tracked
l1_fixed (72.5 % fixed)
l2_tracked
l2_fixed (72.5 % fixed)
number of satellites
0
2
4
6
8
10
12
14
16
18
20
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Network N32T - only BDS with threshold set to 0.3
number of satellites
GPS time, starting on DOY 315 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
I2_tracked
I2_fixed (67.6 % fixed)
I6_tracked
I6_fixed (67.6 % fixed)
I7_tracked
I7_fixed (0.0 % fixed)



Network N32T - only Galileo with threshold set to 0.3
number of satellites
GPS time, starting on DOY 315 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
l1_tracked
l1_fixed (76.4 % fixed)
l5_tracked
l5_fixed (75.6 % fixed)
l7_tracked
l7_fixed (77.7 % fixed)



Station EH01 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station EH02 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station GOM1 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station GOME in network N32T
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station IZAN in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station LP01 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station LP03 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station LPAL in network N32T
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station LRES in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station TN01 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station TN02 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station TN03 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station TN06 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station TN09 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



Station TE11 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



RefCheck for station EH01 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.001 E=0.005 U=-0.006
std: N=0.009 E=0.01 U=0.015 2D=0.006 3D=0.008
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



RefCheck for station EH02 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.008 E=0.011 U=0.0
std: N=0.009 E=0.009 U=0.01 2D=0.01 3D=0.011
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



RefCheck for station GOM1 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.006 E=-0.01 U=0.007
std: N=0.009 E=0.01 U=0.021 2D=0.008 3D=0.013
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



RefCheck for station GOME in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.002 E=-0.002 U=0.012
std: N=0.008 E=0.009 U=0.02 2D=0.006 3D=0.013
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



RefCheck for station IZAN in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.002 E=-0.01 U=0.003
std: N=0.009 E=0.009 U=0.018 2D=0.008 3D=0.013
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



RefCheck for station LP01 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.014 E=0.008 U=0.004
std: N=0.007 E=0.007 U=0.016 2D=0.007 3D=0.01
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



RefCheck for station LP03 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.005 E=0.001 U=-0.0
std: N=0.006 E=0.008 U=0.012 2D=0.005 3D=0.008
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



RefCheck for station LPAL in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.007 E=0.01 U=-0.001
std: N=0.007 E=0.008 U=0.016 2D=0.007 3D=0.01
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



RefCheck for station LRES in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.006 E=0.014 U=-0.003
std: N=0.007 E=0.008 U=0.019 2D=0.008 3D=0.011
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026



RefCheck for station TN01 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.004 E=-0.008 U=0.001
std: N=0.009 E=0.011 U=0.022 2D=0.007 3D=0.012
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026


RefCheck for station TN02 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.004 E=-0.01 U=0.008
std: N=0.008 E=0.011 U=0.019 2D=0.006 3D=0.011
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026


RefCheck for station TN03 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.001 E=-0.009 U=0.006
std: N=0.008 E=0.01 U=0.019 2D=0.007 3D=0.012
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026


RefCheck for station TN06 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.001 E=-0.008 U=-0.003
std: N=0.008 E=0.008 U=0.015 2D=0.006 3D=0.008
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026


RefCheck for station TN09 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.0 E=-0.013 U=-0.015
std: N=0.01 E=0.008 U=0.017 2D=0.008 3D=0.012
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026


RefCheck for station TE11 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.002 E=-0.009 U=0.002
std: N=0.005 E=0.006 U=0.014 2D=0.005 3D=0.008
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 315 of Year 2026

RefCheck values for network N32T

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
EH01	-0.025	0.023	0.009	-0.027	0.03	0.01	-0.06	0.038	0.015	0.006	0.008	38529	67.4	27828	48.7
EH02	-0.018	**0.066**	0.009	-0.026	0.034	0.009	-0.062	**0.104**	0.01	**0.01**	0.011	39829	69.7	31317	54.8
GOM1	-0.039	0.032	0.009	-0.031	0.034	0.01	-0.052	0.061	0.021	0.008	**0.013**	43654	76.4	34108	59.7
GOME	-0.025	0.021	0.008	-0.024	0.03	0.009	-0.056	0.063	0.02	0.006	**0.013**	30137	52.7	29899	52.3
IZAN	-0.03	0.023	0.009	-0.029	0.019	0.009	-0.048	0.042	0.018	0.008	**0.013**	39857	69.7	29716	52.0
LP01	-0.041	0.002	0.007	-0.015	0.03	0.007	-0.038	0.048	0.016	0.007	0.01	**50034**	**87.5**	38428	67.2
LP03	-0.024	0.01	0.006	-0.024	0.019	0.008	-0.042	0.031	0.012	0.005	0.008	23296	40.8	12498	21.9
LPAL	-0.023	0.014	0.007	-0.021	0.029	0.008	-0.041	0.037	0.016	0.007	0.01	42229	73.9	29286	51.2
LRES	-0.019	0.03	0.007	-0.028	**0.045**	0.008	-0.048	0.055	0.019	0.008	0.011	45599	79.8	39232	68.6
TN01	**-0.05**	0.043	0.009	**-0.05**	0.026	**0.011**	**-0.09**	0.061	**0.022**	0.007	0.012	43513	76.1	38695	67.7
TN02	-0.028	0.021	0.008	-0.044	0.022	**0.011**	-0.051	0.08	0.019	0.006	0.011	47919	83.8	37453	65.5
TN03	-0.021	0.019	0.008	-0.034	0.027	0.01	-0.053	0.058	0.019	0.007	0.012	39169	68.5	30797	53.9
TN06	-0.021	0.018	0.008	-0.03	0.017	0.008	-0.045	0.06	0.015	0.006	0.008	38057	66.6	23525	41.2
TN09	-0.03	0.025	**0.01**	-0.039	0.008	0.008	-0.06	0.033	0.017	0.008	0.012	44597	78.0	**40749**	**71.3**
TE11	-0.021	0.013	0.005	-0.027	0.016	0.006	-0.046	0.032	0.014	0.005	0.008	30242	52.9	16793	29.4
Mean	**-0.028**	**0.024**	**0.008**	**-0.03**	**0.026**	**0.009**	**-0.053**	**0.054**	**0.017**	**0.007**	**0.011**	**39777.4**	**69.6**	**30688.3**	**53.7**
Min/Max	**-0.05**	**0.066**	**0.01**	**-0.05**	**0.045**	**0.011**	**-0.09**	**0.104**	**0.022**	**0.01**	**0.013**	**50034**	**87.5**	**40749**	**71.3**

fixing statistic for network N32T

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	74.4	78.5	72.4	76.4	67.6
considering satellites with dual-frequency fixed	59.7	59.5	53.7	64.0	59.8
considering all signals separately	60.1	58.8	53.7	64.5	59.6