summary for network N32T

timeperiod chosen: from 2026-11-12-00:00:00 until 2026-11-12-23:59:59


average update rate (durations larger than 15 seconds considered as observation gap): 1.3 seconds


average fixing percentage with threshold set to 0.3: 88.9 percent


stations available: 15 of 15


station information:


station EH01:	antenna: LEIAR20	LEIM	receiver: LEICA GR25	height: 801.016
station EH02:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 85.385
station GOM1:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 48.789
station GOME:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 114.977
station IZAN:	antenna: LEIAT504GG	LEIS	receiver: LEICA GR50	height: 2417.44
station LP01:	antenna: TRM57971.00	NONE	receiver: TRIMBLE ALLOY	height: 675.249
station LP03:	antenna: TRM59900.00	NONE	receiver: TRIMBLE NETR9	height: 919.563
station LPAL:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 2199.31
station LRES:	antenna: LEIAR20	NONE	receiver: LEICA GR25	height: 51.241
station TN01:	antenna: LEIAR20	LEIM	receiver: LEICA GR50	height: 51.859
station TN02:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE ALLOY	height: 54.509
station TN03:	antenna: TRM159900.00	SCIS	receiver: TRIMBLE ALLOY	height: 58.588
station TN06:	antenna: LEIAR20	NONE	receiver: LEICA GR50	height: 1053.548
station TN09:	antenna: LEIAR20	NONE	receiver: LEICA GR50	height: 1582.15
station TE11:	antenna: LEIAR10	NONE	receiver: LEICA GR25	height: 2092.021



Processing rate in network N32T
time difference to next processed epoch [s]
0
2
4
6
8
10
12
14
16
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Histogram of the processing rate in network N32T (durations larger 15 seconds neglected)
number of epochs
0
10000
20000
30000
40000
50000
1
2
3
4
5
time difference to next processed epoch [s]



Network N32T with threshold set to 0.3
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
40
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Fixing percentage of satellites in network N32T with threshold set to 0.3
percentage fixed to tracked
0
10
20
30
40
50
60
70
80
90
100
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Network N32T - only GPS with threshold set to 0.3
l1_tracked
l1_fixed (88.6 % fixed)
l2_tracked
l2_fixed (88.0 % fixed)
l5_tracked
l5_fixed (87.8 % fixed)
number of satellites
0
2
4
6
8
10
12
14
16
18
20
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Network N32T - only GLONASS with threshold set to 0.3
l1_tracked
l1_fixed (88.5 % fixed)
l2_tracked
l2_fixed (88.5 % fixed)
number of satellites
0
2
4
6
8
10
12
14
16
18
20
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Network N32T - only BDS with threshold set to 0.3
number of satellites
GPS time, starting on DOY 316 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
I2_tracked
I2_fixed (90.1 % fixed)
I6_tracked
I6_fixed (90.0 % fixed)
I7_tracked
I7_fixed (0.0 % fixed)



Network N32T - only Galileo with threshold set to 0.3
number of satellites
GPS time, starting on DOY 316 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
l1_tracked
l1_fixed (89.6 % fixed)
l5_tracked
l5_fixed (89.3 % fixed)
l7_tracked
l7_fixed (90.4 % fixed)



Station EH01 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station EH02 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station GOM1 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station GOME in network N32T
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station IZAN in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station LP01 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station LP03 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station LPAL in network N32T
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station LRES in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station TN01 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station TN02 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station TN03 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station TN06 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station TN09 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



Station TE11 in network N32T
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



RefCheck for station EH01 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.004 E=0.015 U=-0.001
std: N=0.006 E=0.009 U=0.014 2D=0.006 3D=0.007
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



RefCheck for station EH02 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.008 E=0.018 U=-0.002
std: N=0.005 E=0.006 U=0.009 2D=0.005 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



RefCheck for station GOM1 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.004 E=-0.013 U=-0.007
std: N=0.004 E=0.005 U=0.008 2D=0.004 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



RefCheck for station GOME in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.002 E=-0.001 U=0.009
std: N=0.005 E=0.004 U=0.008 2D=0.004 3D=0.006
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



RefCheck for station IZAN in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.0 E=-0.016 U=-0.003
std: N=0.005 E=0.005 U=0.012 2D=0.005 3D=0.008
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



RefCheck for station LP01 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.015 E=0.007 U=0.012
std: N=0.003 E=0.005 U=0.01 2D=0.004 3D=0.007
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



RefCheck for station LP03 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.005 E=0.003 U=0.002
std: N=0.003 E=0.004 U=0.009 2D=0.003 3D=0.006
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



RefCheck for station LPAL in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.013 E=0.009 U=-0.003
std: N=0.004 E=0.004 U=0.009 2D=0.005 3D=0.006
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



RefCheck for station LRES in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.01 E=0.017 U=-0.001
std: N=0.004 E=0.005 U=0.011 2D=0.004 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026



RefCheck for station TN01 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.004 E=-0.019 U=-0.006
std: N=0.007 E=0.006 U=0.014 2D=0.005 3D=0.007
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026


RefCheck for station TN02 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.003 E=-0.012 U=0.016
std: N=0.004 E=0.004 U=0.011 2D=0.004 3D=0.009
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026


RefCheck for station TN03 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.003 E=-0.005 U=-0.002
std: N=0.003 E=0.004 U=0.014 2D=0.003 3D=0.009
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026


RefCheck for station TN06 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.002 E=-0.007 U=-0.002
std: N=0.003 E=0.004 U=0.008 2D=0.003 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026


RefCheck for station TN09 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.012 E=-0.014 U=-0.002
std: N=0.003 E=0.003 U=0.007 2D=0.003 3D=0.003
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026


RefCheck for station TE11 in network N32T
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.002 E=-0.012 U=-0.001
std: N=0.002 E=0.004 U=0.008 2D=0.004 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 316 of Year 2026

RefCheck values for network N32T

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
EH01	-0.028	**0.029**	0.006	-0.016	0.03	**0.009**	-0.041	0.032	**0.014**	**0.006**	0.007	64287	93.1	47461	68.7
EH02	-0.019	0.022	0.005	-0.029	0.03	0.006	-0.027	0.021	0.009	0.005	0.005	67189	97.3	52057	75.4
GOM1	-0.016	0.012	0.004	-0.026	0.001	0.005	-0.029	0.016	0.008	0.004	0.005	57794	83.7	18304	26.5
GOME	-0.021	0.015	0.005	-0.014	0.01	0.004	-0.018	0.029	0.008	0.004	0.006	7230	10.5	10170	14.7
IZAN	-0.011	0.016	0.005	-0.035	0.002	0.005	**-0.066**	0.051	0.012	0.005	0.008	63821	92.4	23149	33.5
LP01	-0.022	-0.006	0.003	-0.007	0.02	0.005	-0.011	0.053	0.01	0.004	0.007	65781	95.2	36922	53.4
LP03	-0.015	0.007	0.003	-0.013	0.014	0.004	-0.047	0.015	0.009	0.003	0.006	10496	15.2	2213	3.2
LPAL	-0.022	0.008	0.004	-0.003	0.025	0.004	-0.037	0.015	0.009	0.005	0.006	62907	91.1	21424	31.0
LRES	-0.006	0.02	0.004	0.0	**0.031**	0.005	-0.041	0.022	0.011	0.004	0.005	67382	97.5	50568	73.2
TN01	**-0.03**	0.018	**0.007**	**-0.047**	0.013	0.006	-0.032	0.037	**0.014**	0.005	0.007	67833	98.2	**58240**	**84.3**
TN02	-0.016	0.009	0.004	-0.024	-0.001	0.004	-0.009	0.044	0.011	0.004	**0.009**	57096	82.7	33254	48.1
TN03	-0.007	0.012	0.003	-0.017	0.009	0.004	-0.031	**0.057**	**0.014**	0.003	**0.009**	9388	13.6	10068	14.6
TN06	-0.008	0.006	0.003	-0.015	0.004	0.004	-0.022	0.025	0.008	0.003	0.004	17318	25.1	2552	3.7
TN09	0.002	0.021	0.003	-0.022	-0.003	0.003	-0.021	0.018	0.007	0.003	0.003	**68703**	**99.5**	31162	45.1
TE11	-0.005	0.008	0.002	-0.022	0.0	0.004	-0.018	0.037	0.008	0.004	0.004	51852	75.1	5588	8.1
Mean	**-0.015**	**0.013**	**0.004**	**-0.019**	**0.012**	**0.005**	**-0.03**	**0.031**	**0.01**	**0.004**	**0.006**	**49271.8**	**71.3**	**26875.5**	**38.9**
Min/Max	**-0.03**	**0.029**	**0.007**	**-0.047**	**0.031**	**0.009**	**-0.066**	**0.057**	**0.014**	**0.006**	**0.009**	**68703**	**99.5**	**58240**	**84.3**

fixing statistic for network N32T

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	88.9	88.6	88.5	89.5	90.0
considering satellites with dual-frequency fixed	85.1	84.2	84.3	84.5	88.1
considering all signals separately	84.8	83.3	84.3	84.9	88.0