summary for network NET5

timeperiod chosen: from 2026-11-13-00:00:00 until 2026-11-13-23:59:59


average update rate (durations larger than 15 seconds considered as observation gap): 1.1 seconds


average fixing percentage with threshold set to 0.3: 93.7 percent


stations available: 14 of 14


station information:


station ARDU:	antenna: LEIAR20 LEIM	receiver: LEICA GR50	height: 844.47
station BUOS:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 963.892
station BURG:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 939.518
station CALH:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 411.39
station CAS0:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 564.199
station CERV:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 723.308
station ELCI:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR30	height: 525.686
station LOSA:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 510.249
station QINT:	antenna: TRM59900.00 SCIS	receiver: TRIMBLE NETR9	height: 1191.824
station RIO1:	antenna: LEIAR25.R4 LEIT	receiver: LEICA GR50	height: 450.419
station SANR:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 361.505
station SORI:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1135.68
station SROM:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1150.482
station VTRO:	antenna: GPPNULLANTENNA NONE	receiver: LEICA GR50	height: 1626.171



Processing rate in network NET5
time difference to next processed epoch [s]
0
2
4
6
8
10
12
14
16
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Histogram of the processing rate in network NET5 (durations larger 15 seconds neglected)
number of epochs
0
10000
20000
30000
40000
50000
60000
1
2
3
time difference to next processed epoch [s]



Network NET5 with threshold set to 0.3
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
40
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Fixing percentage of satellites in network NET5 with threshold set to 0.3
percentage fixed to tracked
0
10
20
30
40
50
60
70
80
90
100
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Network NET5 - only GPS with threshold set to 0.3
number of satellites
GPS time, starting on DOY 317 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
l1_tracked
l1_fixed (94.4 % fixed)
l2_tracked
l2_fixed (94.4 % fixed)
l5_tracked
l5_fixed (94.9 % fixed)



Network NET5 - only GLONASS with threshold set to 0.3
l1_tracked
l1_fixed (93.1 % fixed)
l2_tracked
l2_fixed (93.1 % fixed)
number of satellites
0
2
4
6
8
10
12
14
16
18
20
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Network NET5 - only BDS with threshold set to 0.3
number of satellites
GPS time, starting on DOY 317 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
I2_tracked
I2_fixed (91.6 % fixed)
I6_tracked
I6_fixed (92.4 % fixed)
I7_tracked
I7_fixed (0.0 % fixed)



Network NET5 - only Galileo with threshold set to 0.3
number of satellites
GPS time, starting on DOY 317 of Year 2026
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
0
2
4
6
8
10
12
14
16
18
20
l1_tracked
l1_fixed (95.5 % fixed)
l5_tracked
l5_fixed (95.6 % fixed)
l7_tracked
l7_fixed (95.6 % fixed)



Station ARDU in network NET5
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station BUOS in network NET5
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station BURG in network NET5
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station CALH in network NET5
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station CAS0 in network NET5
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station CERV in network NET5
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station ELCI in network NET5
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station LOSA in network NET5
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station QINT in network NET5
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
13-Nov
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station RIO1 in network NET5
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station SANR in network NET5
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station SORI in network NET5
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station SROM in network NET5
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



Station VTRO in network NET5
missing_epoch
nl_tracked
nl_fixed
number of satellites
0
5
10
15
20
25
30
35
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



RefCheck for station ARDU in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.004 E=-0.003 U=0.004
std: N=0.005 E=0.003 U=0.008 2D=0.003 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



RefCheck for station BUOS in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.0 E=-0.005 U=0.003
std: N=0.003 E=0.004 U=0.009 2D=0.004 3D=0.006
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



RefCheck for station BURG in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.001 E=-0.001 U=-0.002
std: N=0.003 E=0.003 U=0.009 2D=0.003 3D=0.006
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



RefCheck for station CALH in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.0 E=-0.0 U=-0.002
std: N=0.004 E=0.003 U=0.007 2D=0.002 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



RefCheck for station CAS0 in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.003 E=-0.0 U=-0.007
std: N=0.004 E=0.003 U=0.009 2D=0.003 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



RefCheck for station CERV in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.0 E=-0.002 U=0.001
std: N=0.004 E=0.003 U=0.008 2D=0.003 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



RefCheck for station ELCI in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.001 E=0.0 U=0.004
std: N=0.004 E=0.003 U=0.008 2D=0.003 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



RefCheck for station LOSA in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.001 E=-0.001 U=-0.002
std: N=0.003 E=0.003 U=0.008 2D=0.002 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026



RefCheck for station QINT in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.005 E=-0.003 U=0.002
std: N=0.004 E=0.003 U=0.005 2D=0.003 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026


RefCheck for station RIO1 in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.002 E=-0.001 U=0.001
std: N=0.003 E=0.003 U=0.008 2D=0.003 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026


RefCheck for station SANR in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.002 E=-0.0 U=-0.004
std: N=0.003 E=0.003 U=0.006 2D=0.002 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026


RefCheck for station SORI in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=0.0 E=0.0 U=-0.001
std: N=0.003 E=0.002 U=0.007 2D=0.002 3D=0.004
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026


RefCheck for station SROM in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.0 E=-0.001 U=-0.002
std: N=0.003 E=0.003 U=0.008 2D=0.003 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026


RefCheck for station VTRO in network NET5
dN
dE
dU
0.04
0.02
0.00
−0.02
−0.04
RefCheck values [m]
mean: N=-0.004 E=0.006 U=0.003
std: N=0.004 E=0.004 U=0.009 2D=0.004 3D=0.005
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
GPS time, starting on DOY 317 of Year 2026

RefCheck values for network NET5

Station	Nmin	Nmax	Nstd	Emin	Emax	Estd	Umin	Umax	Ustd	std2D	std3D	#2D > 0.01	% 2D > 0.01	#3D > 0.02	% 3D > 0.02
ARDU	-0.015	**0.022**	**0.005**	-0.02	0.007	0.003	-0.015	0.032	0.008	0.003	0.005	8644	11.5	3970	5.3
BUOS	-0.008	0.014	0.003	**-0.026**	0.002	**0.004**	-0.022	0.025	**0.009**	**0.004**	**0.006**	8179	10.8	**6456**	**8.6**
BURG	-0.009	0.018	0.003	-0.017	0.011	0.003	-0.021	0.022	**0.009**	0.003	**0.006**	3148	4.2	2405	3.2
CALH	-0.009	0.011	0.004	-0.011	0.009	0.003	-0.02	0.022	0.007	0.002	0.004	982	1.3	245	0.3
CAS0	-0.014	0.018	0.004	-0.012	0.014	0.003	-0.029	0.018	**0.009**	0.003	0.005	6126	8.1	5580	7.4
CERV	-0.012	0.011	0.004	-0.014	0.007	0.003	-0.023	0.022	0.008	0.003	0.004	2709	3.6	1310	1.7
ELCI	**-0.017**	0.017	0.004	-0.017	0.011	0.003	-0.015	0.026	0.008	0.003	0.005	3379	4.5	3414	4.5
LOSA	-0.011	0.012	0.003	-0.008	0.009	0.003	-0.025	0.016	0.008	0.002	0.005	1314	1.7	2263	3.0
QINT	-0.009	0.021	0.004	-0.011	0.006	0.003	-0.012	0.02	0.005	0.003	0.004	9413	12.5	573	0.8
RIO1	-0.009	0.015	0.003	-0.015	0.009	0.003	-0.022	0.018	0.008	0.003	0.004	2366	3.1	1656	2.2
SANR	-0.013	0.008	0.003	-0.01	0.009	0.003	-0.023	0.016	0.006	0.002	0.004	2807	3.7	812	1.1
SORI	-0.014	0.011	0.003	-0.011	0.009	0.002	-0.021	0.017	0.007	0.002	0.004	1572	2.1	504	0.7
SROM	-0.015	0.01	0.003	-0.011	0.014	0.003	**-0.032**	0.015	0.008	0.003	0.005	2692	3.6	2618	3.5
VTRO	-0.014	0.014	0.004	-0.006	**0.019**	**0.004**	-0.026	**0.035**	**0.009**	**0.004**	0.005	**27793**	**36.8**	5382	7.1
Mean	**-0.012**	**0.014**	**0.004**	**-0.014**	**0.01**	**0.003**	**-0.022**	**0.022**	**0.008**	**0.003**	**0.005**	**5794.6**	**7.7**	**2656.3**	**3.5**
Min/Max	**-0.017**	**0.022**	**0.005**	**-0.026**	**0.019**	**0.004**	**-0.032**	**0.035**	**0.009**	**0.004**	**0.006**	**27793**	**36.8**	**6456**	**8.6**

fixing statistic for network NET5

fixing percentage of	all GNSS	G	R	E	C
using threshold 0.3	93.7	94.4	93.0	95.5	91.5
considering satellites with dual-frequency fixed	88.8	88.8	88.8	91.3	86.2
considering all signals separately	88.9	88.7	88.8	91.5	85.0